CALIFORNIA ENVIRONMENTAL REPORTING SYSTEM (CERS) CONSOLIDATED EMERGENCY RESPONSE / CONTINGENCY PLAN Prior to completing this Plan, please refer to the INSTRUCTIONS FOR COMPLETING A CONSOLIDATED CONTINGENCY PLAN

A. FACILITY	IDENTIFICAT	TON AND OPE	RATI	ONS OV	ERVI	EW	
FACILITY ID#	1. English	CERS ID	A1.	DATE OF	PLAN PREI	PARATION/REVISION	A2.
BUSINESS NAME (Same as Facility Name or DBA - Doing Business As) 3.							
BUSINESS SITE ADDRESS	одиниция в подово од био состояну се на во ново на вистем порода в состоянова				annada da fara na manda da fara da maren da faragina na 18 gian fara		103.
BUSINESS SITE CITY			104.	CA	ZIP COD	E	105.
TYPE OF BUSINESS (e.g., Painting Contractor)		A3. INCIDENTAL	OPERA'	TIONS (e.g.,	Fleet Maint	tenance)	A4.
THIS PLAN COVERS CHEMICAL SPILLS, FIRES, AND EARTHQUAKES INVOLVING: (Check all that apply) △ 1. HAZARDOUS MATERIALS; □ 2. HAZARDOUS WASTES							
☑ 1. HAZARDOUS MATERIALS, ☐ 2. HAZA		DNAI DECDON	CE				
B. INTERNAL RESPONSE INTERNAL FACILITY EMERGENCY RESPONSE WILL OCCUR VIA: (Check all that apply) 1. CALLING PUBLIC EMERGENCY RESPONDERS (i.e., 9-1-1) 2. CALLING HAZARDOUS WASTE CONTRACTOR 3. ACTIVATING IN-HOUSE EMERGENCY RESPONSE TEAM							
C. EMERGENCY COM							
Whenever there is an imminent or actual emergency situation such as an explosion, fire, or release, the Emergency Coordinator (or his/her designee when the Emergency Coordinator is on call) shall: 1. Activate internal facility alarms or communications systems, where applicable, to notify all facility personnel. 2. Notify appropriate local authorities (i.e., call 9-1-1). 3. Notify the California Emergency Management Agency at (800) 852-7550.							
Before facility operations are resumed in areas of Substances Control (DTSC), the local Unified Prog with requirements to: 1. Provide for proper storage and disposal of recove the facility; and 2. Ensure that no material that is incompatible with cleanup procedures are completed. INTERNAL FACILITY EMERGENCY COMMUNITY.	ram Agency (UPA), and red waste, contaminated in the released material ICATIONS OR ALARI	d the local fire department soil or surface water, or a is transferred, stored, or M NOTIFICATION WILL	any other	material that of in areas	Is program to results from of the facilities all that ap	that the facility is in comp in an explosion, fire, or release ty affected by the inciden	oliance ease at
	LARM SYSTEM;	INTERCOM SYSTEM;		☐ 3. TELE	EPHONE; FABLE RAI	DIO	
,		FECTED BY AN OFF-SI INTERCOM SYSTEM;	ITE RELI	EASE WILL 3. TELE 6. PORT	EPHONE;		C2.
DUONE MUMBERG.		P				9-1-1	
CALIFORNIA EM		MENT AGENCY (CAL/I					
)				(800) 424-8802	
		/Y TY A / CIT TY A \			1	(000) 222-1222	C3,
OTHER (Specify):		(UPA/CUPA)			C4.		C5.
NEAREST MEDICAL FACILITY / HOSPITAL NA	1	2010	\$44004P44394F184934348494F1511	***************************************	C6.		C7.
AGENCY NOTIFICATION PHONE NUMBERS:		PT. OF TOXIC SUBSTAN	NCES CC	NTROL (D'	rsc)	(916) 255-3545	// And the last of
AGENCY NOTH ENTRON THONE NO.		ER QUALITY CONTROL					C8.
		NTAL PROTECTION A				(800) 300-2193	
	CALIFORNIA DEF	T OF FISH AND GAME	E (DFG) .			(916) 358-2900	
	U.S. COAST GUAI	RD				(202) 267-2180	
	CAL/OSHA					(916) 263-2800	
	STATE FIRE MAR	SHAL		<u></u>	· · · · · · · · · · · · ,	(916) 445-8200	f21.0
	OTHER (Specify):				C9.		C10.
	OTHER (Specify):				C11.		C12.

D. EMEDICAL CONTAINMENT AND CLEANID DOCCEDIDES					
D. EMERGENCY CONTAINMENT AND CLEANUP PROCEDURES					
SPILL PREVENTION, CONTAINMENT, AND CLEANUP PROCEDURES: (Check all boxes that apply to indicate your procedures for containing spills, releases, fires or explosions; and. preventing and mitigating associated harm to persons, property, and the environment.)					
☐ 1. MONITOR FOR LEAKS, RUPTURES, PRESSURE BUILD-UP, ETC.;					
2. PROVIDE STRUCTURAL PHYSICAL BARRIERS (e.g., Portable spill containment walls);					
3. PROVIDE ABSORBENT PHYSICAL BARRIERS (e.g., Pads, pigs, pillows);					
4. COVER OR BLOCK FLOOR AND/ OR STORM DRAINS;					
5. BUILT-IN BERM IN WORK / STORAGE AREA;					
☐ 6. AUTOMATIC FIRE SUPPRESSION SYSTEM; ☐ 7. ELIMINATE SOURCES OF IGNITION FOR FLAMMABLE HAZARDS (e.g. Flammable liquids, Propane);					
7. ELIVINATE SOURCES OF IGNITION FOR PEANINABLE TRAZARDS (e.g. Traininable inquites, Tropado),					
9. AUTOMATIC / ELECTRONIC EQUIPMENT SHUT-OFF SYSTEM;					
☐ 10. SHUT-OFF WATER, GAS, ELECTRICAL UTILITIES AS APPROPRIATE;					
☐ 11. CALL 9-1-1 FOR PUBLIC EMERGENCY RESPONDER ASSISTANCE / MEDICAL AID;					
12. NOTIFY AND EVACUATE PERSONS IN ALL THREATENED AREAS;					
13. ACCOUNT FOR EVACUATED PERSONS IMMEDIATELY AFTER EVACUATION CALL;					
14. PROVIDE PROTECTIVE EQUIPMENT FOR ON-SITE RESPONSE TEAM;					
☐ 15. REMOVE OR ISOLATE CONTAINERS / AREA AS APPROPRIATE; ☐ 16. HIRE LICENSED HAZARDOUS WASTE CONTRACTOR;					
☐ 17. USE ABSORBENT MATERIAL FOR SPILLS WITH SUBSEQUENT PROPER LABELING, STORAGE, AND HAZARDOUS WASTE DISPOSAL AS					
APPROPRIATE;					
☐ 18. SUCTION USING SHOP VACUUM WITH SUBSEQUENT PROPER LABELING, STORAGE, AND HAZARDOUS WASTE DISPOSAL AS APPROPRIATE;					
19. WASH / DECONTAMINATE EQUIPMENT W/ CONTAINMENT and DISPOSAL OF EFFLUENT / RINSATE AS HAZARDOUS WASTE;					
20. PROVIDE SAFE TEMPORARY STORAGE OF EMERGENCY-GENERATED WASTES;					
☐ 21. OTHER (Specify):					
E. FACILITY EVACUATION					
THE FOLLOWING ALARM SIGNAL(S) WILL BE USED TO BEGIN EVACUATION OF THE FACILITY (CHECK ALL THAT APPLY):					
1. BELLS;					
2. HORNS/SIRENS;					
3. VERBAL (I.E., SHOUTING);					
4. OTHER (Specify): E2. THE FOLLOWING LOCATION(S) IS/ARE EVACUEE EMERGENCY ASSEMBLY AREA(S) (i.e., Front parking lot, specific street corner, etc.)					
N. J. Th. F					
Note: The Emergency Coordinator must account for all on site employees and/or site visitors after evacuation. EVACUATION ROUTE MAP(S) POSTED AS REQUIRED E4.					
Note: The map(s) must show primary and alternate evacuation routes, emergency exits, and primary and alternate staging areas, and must be prominently posted					
throughout the facility in locations where it will be visible to employees and visitors.					
F. ARRANGEMENTS FOR EMERGENCY SERVICES					
Explanation of Requirement: Advance arrangements with local fire and police departments, hospitals, and/or emergency services contractors should be made as appropriate for your facility. You may determine that such arrangements are not necessary.					
ADVANCE ARRANGEMENTS FOR LOCAL EMERGENCY SERVICES (Check one of the following)					
1. HAVE BEEN DETERMINED NOT NECESSARY; or					
2. THE FOLLOWING ARRANGEMENTS HAVE BEEN MADE (Specify):					

		GENCY EQUIPMENT				
Check all boxes that apply to list emergency response equipment available at the facility and identify the location(s) where the equipment is kept and the equipment's capability, if applicable. [e.g., 🗵 CHEMICAL PROTECTIVE GLOVES Spill response kit One time use, Oil & solvent resistant only.]						
TYPE	EQUIPMENT AVAILABLE G1.	LOCATION	CAPABILITY (If applicable)			
Safety	1. CHEMICAL PROTECTIVE SUITS, APRONS,	G2.	G3.			
	OR VESTS 2. CHEMICAL PROTECTIVE GLOVES	G4.	G5.			
	3. CHEMICAL PROTECTIVE BOOTS	G6.	G7.			
	4. SAFETY GLASSES / GOGGLES / SHIELDS	G8.	G9.			
	5.	G10.	G11.			
	6. CARTRIDGE RESPIRATORS	G12.	G13.			
	7. SELF-CONTAINED BREATHING APPARATUS (SCBA)	G14.	G15.			
	8. FIRST AID KITS / STATIONS	G16.	G17.			
	9. PLUMBED EYEWASH FOUNTAIN / SHOWER	G18.	G19.			
	10. PORTABLE EYEWASH KITS	G20.	G21.			
	11. ☐ OTHER	G22.	G25.			
	12. OTHER	G24.	G27.			
Fighting	13. ☐ PORTABLE FIRE EXTINGUISHERS 14. ☐ FIXED FIRE SYSTEMS / SPRINKLERS /	G28.	G29.			
	FIRE HOSES 15. FIRE ALARM BOXES OR STATIONS	G30.	G31.			
	16. ☐ OTHER	G32.	G33.			
	17. ☐ ALL-IN-ONE SPILL KIT	G34.	G35.			
Control and Clean-Up	18. ABSORBENT MATERIAL	G36.	G37.			
	19. CONTAINER FOR USED ABSORBENT	G38.	G39.			
	20. BERMING / DIKING EQUIPMENT	G40.	G41.			
	21. BROOM	G42.	G43.			
	22. SHOVEL	G44.	G45.			
	23. SHOP VAC	G46.	G47.			
	24. EXHAUST HOOD	G48.	G49.			
	25. EMERGENCY SUMP / HOLDING TANK	G50.	G51.			
	26. CHEMICAL NEUTRALIZERS	G52.	G53.			
	27. GAS CYLINDER LEAK REPAIR KIT	G54.	G55.			
	28. SPILL OVERPACK DRUMS	G56,	G57.			
	29. OTHER	G58.	G59.			
Communi- cations and Alarm Systems		G60.	G61.			
	31. INTERCOM / PA SYSTEM	G62.	G63.			
	32. PORTABLE RADIOS	G64.	G65.			
	33. AUTOMATIC ALARM CHEMICAL MONITORING EQUIPMENT	G66.	G67.			
Other	34. ☐ OTHER	G68.	G69.			
	35. ☐ OTHER	G70.	G71.			

H. EARTHQUAKE V	ULNERABILITY					
Identify areas of the facility that are vulnerable to hazardous materials releases / spills due to earthquake-related motion. These areas require immediate isolation and inspection.						
	HI. LOCATIONS (e.g., shop, outdoor shed, forensic lab) H2. H3. H4. H5.					
Identify mechanical systems vulnerable to releases / spills due to earthquake-related me	ation. These systems require immediate isolation and inspection					
	H6. LOCATIONS H7. H8. H9. H10. H11.					
I. EMPLOYEE	TRAINING					
 Hazard communication related to health and safety; Methods for safe handling of hazardous substances; Fire hazards of materials / processes; Conditions likely to worsen emergencies; Coordination of emergency response; Notification procedures; 						
INDICATE HOW EMPLOYEE TRAINING PROGRAM IS ADMINISTERED (Check all that apply) 1. FORMAL CLASSROOM;						
Large Quantity Generator (LQG) Training Records: Large quantity hazardous waste generators (i.e., who generate more than 270 gallons/1,000 kilograms of hazardous waste per month) must retain written documentation of employee hazardous waste management training sessions which includes: • A written outline/agenda of the type and amount of both introductory and continuing training that will be given to persons filling each job position having responsibility for the management of hazardous waste (e.g., labeling, manifesting, compliance with accumulation time limits, etc.). • The name, job title, and date of training for each hazardous waste management training session given to an employee filling such a job position; and • A written job description for each of the above job positions that describes job duties and the skills, education, or other qualifications required of personnel assigned to the position. • Current employee training records must be retained until closure of the facility. • Former employee training records must be retained at least three years after termination of employment.						
J. LIST OF ATTACHMENTS						
(Check one of the following) ☐ 1. NO ATTACHMENTS ARE REQUIRED; or ☐ 2. THE FOLLOWING DOCUMENTS ARE ATTACHED:	J1. 12.					
K. SIGNATURE / CERTIFICATION						
Certification: Based on my inquiry of those individuals responsible for obtaining the information, I certify under penalty of law that I have personally examined and am familiar with the information submitted and believe the information is true, accurate, and complete, and that a copy is available on site.						
SIGNATURE OF OWNER/OPERATOR	DATE SIGNED K1.					
NAME OF SIGNER (print) K2.	TITLE OF SIGNER K3.					