Solano County

675 Texas Street Fairfield, California 94533 www.solanocounty.com

Agenda Submittal

Agenda #: 5 Status: ALUC-Regular-NW

Type: ALUC-Document Department: Airport Land Use Commission

File #: AC 23-031 Contact: Nedzlene Ferrario

Agenda date: 07/13/2023 Final Action:

Title: Discuss the Little Egbert Multi-Benefit Project Notice of Preparation Letter

Governing body: Airport Land Use Commission

District:

Attachments: A - Notice of Preparation (NOP), B - NOP Comment Letter, C - County Staff Comments

Date: Ver. Action By: Action: Result:

DISCUSSION:

The Department of Water Resources (DWR) issued a Notice of Preparation to prepare an Environmental Impact Report for the Little Egbert Multi-Benefit Project located within close proximity of the Rio Vista Municipal Airport and within the Travis AFB Assault Landing Zone.

DWR is seeking local agencies' input about environmental issues to be analyzed and included in the Environmental Impact Report. Attached are a draft letter and attachments for ALUC review and comment. The comment letter deadline to DWR is July 28, 2023.

GAVIN NEWSOM, Governor

DEPARTMENT OF WATER RESOURCES

SYSTEMWIDE MULTI-BENEFIT INITIATIVES 715 P Street SACRAMENTO, CA 95814



NOTICE OF PREPARATION

To: Agencies and Interested Parties

From: California Department of Water Resources

Date: June 13, 2023

Subject: Notice of Preparation and Scoping Meetings for the Little Egbert Multi-Benefit

Project Environmental Impact Report

Notice is hereby given that the California Department of Water Resources (DWR), as the Lead Agency under the California Environmental Quality Act (CEQA), is planning to prepare an Environmental Impact Report (EIR) for the Little Egbert Multi-Benefit Project ("Proposed Project"). DWR has issued this Notice of Preparation (NOP) to provide responsible agencies, trustee agencies, and other interested parties with information describing the Proposed Project and its potential environmental effects. Public scoping meetings will be held to receive comments on the scope and content of the EIR. Two virtual public scoping meetings will be held via Zoom on Monday, June 26, 2023 from 12:00 to 2:00 p.m. and on Thursday, June 29, 2023 from 9:00 to 11:00 a.m. An in-person public scoping meeting will be held on July 11, 2023 from 6:00 to 8:00 p.m. at the Rio Vista Veterans Memorial Hall (details below).

DWR invites each responsible and trustee agency, and each Federal agency, including NEPA cooperating agencies involved in approving or funding the Proposed Project, to provide input as to the scope and content of the environmental information that is germane to the agency's statutory responsibilities in connection with the Proposed Project. DWR is also accepting comments from members of the public and Native American Tribes on the scope and content of the EIR, as well as suggested alternatives to the Proposed Project that may be considered in the EIR.

INTRODUCTION

CEQA specifies that a public agency must prepare an EIR on any project that it proposes to carry out or approve that may have a potentially significant or significant direct or indirect effect on the physical environment. DWR is proposing to implement flood system and ecosystem improvements, and recreational opportunities to the lower Yolo Bypass/Cache Slough complex to increase flood capacity and provide floodplain habitat and ecosystem benefits. DWR has determined that these improvements may result in potentially significant effects on the physical environment. Therefore, DWR will prepare a project-level EIR that evaluates the potential significant environmental effects of these proposed improvements.

PROJECT LOCATION

The Proposed Project is located at the southern end of the Yolo Bypass, immediately upstream of the city of Rio Vista, in Solano County, California. The site includes State Plan of Flood Control Levees maintained by Reclamation District 536 on the west and Solano County Water Agency on the south (Mellin Levee), farm berms and levees on the southwest, and a restricted-height levee maintained by Reclamation District 2084 on the north and east. The site

is located downstream of the confluence of Lindsey Slough, Prospect Slough, Cache Slough, and the Sacramento River Deep Water Ship Channel; referred to as the Cache Slough Complex. Near the south end of the site, Cache Slough combines with the Sacramento River and Steamboat Slough. Highway 84 and the Cache Slough "Real McCoy" Ferry landing are also located at the southern end of the project area (see Figure 1). The Proposed Project is located in the legal Sacramento-San Joaquin River Delta (Water Code Section 12220).

PROJECT DESCRIPTION

The purpose of the Proposed Project is to actively manage the transition of the land from agriculture to tidal wetlands, subtidal, and riparian habitat in a manner that maximizes flood benefits and climate resilience and enhances ecosystem processes and recreational opportunities. The Proposed Project site is currently privately owned and cultivated in row crops and alfalfa. The site is below sea level and protected by a restricted-height levee that is designed to overtop during high water events to reduce pressure on upstream levees. Sealevel rise and climate change are expected to significantly decrease the viability of maintaining the tract under existing conditions as a reclaimed landscape protected by aging limited-height levees. The Proposed Project would restore approximately 3,000 acres of habitat, while allowing increased flood conveyance at the southern end of the Yolo Bypass.

Goals for the Proposed Project include:

- Enhance Public Safety: Enhance public safety, health, and quality of life for the State's citizens as outlined in State and local planning efforts (Central Valley Flood Protection Plan [CVFPP], Lower Sacramento River/Delta North Regional Flood Management Plan, Solano County planning efforts). Reduce local and regional flood risk to agricultural and urbanizing areas through flood stage reductions and increased flood flow capacity within the Lower Yolo Bypass.
- Protect and Enhance Natural Ecosystem Processes to Increase Habitat and Support Species: Provide ecosystem and habitat restoration, as well as preserving and enhancing riparian and other native habitats to contribute to the recovery and sustainability of native species, where compatible with construction, operation, and maintenance of flood risk-reduction infrastructure, and consistent with adopted State and other plans. Create opportunities for environmental offsets and habitat restoration as outlined in State and local resource planning efforts (CVFPP Conservation Strategy, Delta Plan, Solano Habitat Conservation Plan, Cache Slough Habitat Conservation Plan, and Yolo Bypass Cache Slough Partnership planning efforts).
- Protect and Enhance Opportunities for Recreation: Provide improved or new public outdoor recreation, education, and open space opportunities, where compatible with construction, operation, and maintenance of flood risk-reduction infrastructure, and consistent with the State and local plans and related efforts underway (Yolo Bypass Cache Slough Partnership Recreation Work Group planning efforts and Cache Slough Recreation Action Plan [currently in development]).

To achieve project goals, elements of the Proposed Project could include:

- Degrade portions of the existing restricted-height (eastern/outboard) levee along Cache Slough and construct inflow and outflow openings along Cache Slough to connect the floodplain and improve conveyance during flood events.
- Improve and/or repair existing State Plan of Flood Control levees, and other local infrastructure and flood features to accommodate increased on-site flows.

- Grade and place fill material to construct subtidal swales and habitat berms, to provide rearing habitat for fisheries and establish native habitats.
- Revegetate with native trees, shrubs, and marsh plant species to restore and enhance upland, tidal, subtidal, and floodplain habitat.
- Provide new or enhanced opportunities for recreation consistent with flood protection and habitat restoration goals.

The EIR will analyze the potential environmental effects of construction, operation, and maintenance associated with the Proposed Project and alternatives. A proposed project concept is illustrated on Figure 2. Project concepts will be refined and adjusted based on the information gathered during the scoping and environmental review processes.

POTENTIAL ENVIRONMENTAL EFFECTS

The environmental analysis will focus on examining the potential environmental impacts associated with the improvements implemented as part of the Proposed Project and identifying feasible measures and alternatives that can be implemented to avoid, minimize, rectify, reduce, or compensate such impacts. The EIR will also evaluate cumulative effects of the proposed system improvements when considered in conjunction with other related past, present, and reasonably foreseeable future projects.

On the basis of preliminary evaluations, the proposed flood risk-reduction and ecosystem improvements could have the following direct, indirect, and/or cumulative environmental effects:

- Aesthetics: Changes to the existing visual characteristics of the site.
- Agricultural Resources: Conversion of farmland to non-farm use.
- Air Quality: Temporary and short-term increases in pollutant emissions associated with construction activities.
- Biological Resources Aquatic: Short- and long-term effects on special status fish species or their habitats.
- Biological Resources Terrestrial: Short- and long-term effects on special-status terrestrial species or their habitats.
- Climate Change and Greenhouse Gas Emissions: Temporary and short-term increases in greenhouse gas emissions associated with construction activities.
- Cultural Resources: Potential disturbance or destruction of archaeological resources during construction.
- Energy: Temporary and short-term consumption of energy resources during construction.
- Geology and Soils: Temporary and short-term increases in erosion during construction.
- Hazards and Hazardous Materials: Potential introduction of contaminants into
 water courses and exposure of construction workers to hazardous materials as a
 result of construction activities. The Proposed Project is located within two miles
 of a municipal airport, which necessitates evaluation of impacts to
 working and residing in the area.
- Hydrology and Water Quality: Modification of hydrology and hydraulics to improve flood flow capacity and biological conditions of the project area. Potential impacts to water quality.
- Land Use and Planning: Consistency with relevant land use plans and policies will be evaluated.
- Mineral Resources: Upon project completion, access to known natural gas

- resources and other potential mineral resources may be limited.
- Noise: Temporary and short-term increases in noise levels during construction, as well as a potential long-term change in noise levels due to changes in land use. The Proposed Project is located within two miles of a municipal airport, which necessitates evaluation of noise impacts to people working and residing in the area.
- Public Services: Potential changes to public service requirements for operation.
- Recreation: Potential construction of recreational facilities, which may have an effect on the environment.
- Transportation: Project construction will generate traffic along local roadways.
 Access to new recreational facilities may result in increased traffic in the local area.
- Tribal Cultural Resources: Potential disturbance or destruction of Tribal cultural resources during construction.

ALTERNATIVES

A number of project alternatives, including the No Project Alternative, will be evaluated in the EIR in accordance with CEQA and the CEQA Guidelines.

SCOPING MEETINGS

The scoping meetings will include a brief presentation about the Proposed Project at the beginning of the meeting with time for public comments on the content and scope of the EIR to follow.

Two virtual public scoping meetings are scheduled for:

- Monday, June 26, 2023 from 12:00 to 2:00 p.m. at https://ca-water-gov.zoom.us/j/82221394870?pwd=S3RRN250aHNIN3Rxc2JFSUNDNkxBZz09
- Thursday, June 29, 2023 from 9:00 to 11:00 a.m. at https://ca-water-gov.zoom.us/j/81660832719?pwd=Zm5ZbnVoU0JQSXQvc3dDVnBIMnptUT09

An in-person public scoping meeting will be held on **July 11**, **2023 from 6:00 to 8:00 p.m.** at the Rio Vista Veterans Memorial Hall, 610 St. Francis Way, Rio Vista, CA 94571.

The objective of the meetings is to brief interested parties about the Proposed Project and obtain input on the scope and content of the EIR, including alternatives and potentially significant environmental impacts.

WRITTEN COMMENTS

This NOP is being circulated to obtain suggestions and information from interested parties, including responsible and/or trustee agencies, Native American Tribes, and members of the public, on the content and scope of issues that may be addressed in the EIR. Written comments from interested parties are invited to ensure that the full range of issues related to implementation of the Proposed Project is identified early in the CEQA process. Agencies, organizations, Native American Tribes, and interested parties should provide a contact name and contact information in their letters. In accordance with CEQA Guidelines section 15082(b)(1)(B), within 30 days of receiving the NOP, responsible and trustee agencies shall provide DWR with specific detail about the scope and content of the environmental information to be included in the Draft EIR related only to that agency's area of statutory responsibility.

All comments received, including names and addresses, will become part of the official

administrative record and may be made available to the public. You may request DWR withhold your contact information from public disclosure, which will be honored to the extent allowable under California law. If you wish DWR to consider withholding this information, you must state this prominently at the beginning of your comments.

This NOP is also available electronically on DWR's website: https://water.ca.gov/News/Public-Notices

Written comments on the scope of the EIR must be received by DWR no later than 5 p.m. on July 28th, 2023. Comments or questions should be sent:


By mail to:


California Department of Water Resources c/o Lori Price, Division of Multibenefit Initiatives P.O. Box 942836 Sacramento, CA 94236-0001

with the letter subject heading "RE: Little Egbert Multi-Benefit Project NOP", or

 By email to: <u>littleegbertmbp@water.ca.gov</u> with the subject heading "RE: Little Egbert Multi-Benefit Project NOP"

Interested parties may also provide written or oral comments on the proposed content and scope of the EIR at the public scoping meetings listed above. If you submit comments on the document, you will automatically be added to the distribution list for future notices and information about the environmental review process for the Proposed Project. If you do not wish to submit comments on the scope and content of the EIR, but would like to be added to the mailing list, you can submit your contact information, including email address, with a request to be added to the mailing list at the contact above.





DEPARTMENT OF RESOURCE MANAGEMENT

TERRY SCHMIDTBAUER Director

JAMES BEZEK **Assistant Director**

ALLAN CALDER Planning Services Manager



Planning Services Division

675 Texas Street, Suite 5500 Fairfield, CA 94533-6342 (707) 784-6765 Fax (707) 784-4805

www.solanocounty.com

Date to be inserted

Lori Price Division of Multibenefit Initiatives California State Department of Water Resources P.O. Box 942836 Sacramento, CA 94236-0001

Via email

Re: Little Egbert Multi-Benefit Project Notice of Preparation (NOP)

Dear Lori:

On behalf of the Solano County Airport Land Use Commission (ALUC), the following comments are provided in response to the Little Egbert Multi-Benefit Project Notice of Preparation (NOP) for the Environmental Impact Report (EIR) issued by the Department of Water Resources (DWR) on June 13, 2023.

The NOP describes that the Little Egbert Multi-Benefit Project proposes to convert approximately 3,000 acres of agricultural land into tidal wetlands, subtidal and riparian habitat in a manner that maximizes flood benefits, climate resilience, enhances ecosystem processes and recreational opportunities at the southern end of the Yolo Bypass. The result is that a significant amount of wetland & riparian habitat for a variety of species, such as fish, nesting birds, large waterfowl, flocking birds and small mammals, will be created immediately east of the Rio Vista Municipal Airport and its existing runway approximately 2900 feet from the closest property line.

Given the project's proximity to the Rio Vista Airport, as well as to the Travis Air Force Base (Travis AFB) Assault Land and Training Overlay Zone, the ALUC has concerns that the project will create wildlife attractants hazardous to aircraft flight operations. The ALUC asks that the significant environmental effects related to wildlife attraction hazards be addressed in the EIR, including as they relate to the following Plans:

1. Delta Plan: The project is located within the Delta Plan Priority Areas for ecosystem restoration, where multiple habitat projects have been approved and are planned for the future. Mitigation measures were previously adopted and incorporated into the Delta Plan in 2013, amended in 2018, and then again in June 2022¹ (with final approval of the regulatory amendment pending). The certified Delta Plan programmatic EIR contains mitigation measures that specifically address siting habitat projects in relation to airports. These mitigation measures are consistent with the Federal Aviation Administration (FAA) guidance. The Delta Plan EIR mitigation measures 14-14 (Appendix O, page 43) are as follows:

Mitigation Measure 14-14:

- Avoid creating hazardous wildlife attractants within a distance of 10,000 feet of an Airport Operations Area.
- Maintain a distance of 5 miles between the farthest edge of the Airport Operations Area and hazardous wildlife attractants.

The proposed project location is in conflict with the above mitigation measure and the Little Egbert Multi-Benefit Project EIR analysis will need to address the impacts of locating the project in proximity to Travis AFB and the Rio Vista Airport and how those impacts will be mitigated.

2. Travis AFB & Rio Vista Airport Land Use Compatibility Plan (LUCP):

Within the local context, the project site falls within lands regulated by the Travis AFB Land Use Compatibility Plan (LUCP) and Rio Vista Airport LUCP, which contain land use compatibility criteria restricting development and other projects, such as those creating hazardous wildlife attractants, within certain distances to the airport consistent with the FFA guidelines. Specifically, the project site is located within the Travis AFB Assault Land and Training Overlay Zone/Compatibility Zone D and the Rio Vista Airport Compatibility Safety Zones 2-6. Land use types or development that pose hazards to flight are prohibited within these zones.

The project site lies within the Inner and Outer Wildlife Hazard Area boundary of the Rio Vista Airport LUCP. According to Section 5.8 Wildlife Hazards of the Rio Vista Airport LUCP, projects that propose new wildlife attractants such as wetland/estuarine habitats within the Inner Wildlife Hazard Area have the potential to cause significant adverse impacts with or without mitigation and shall prepare a Wildlife Hazards Analysis (WHA) and demonstrate that wildlife movement that poses hazards to aircraft in flight will be minimized.

In early 2023, staff from the Little Egbert Multi-Benefit Project contacted County staff to collaborate on the development of the WHA. The WHA subsequently submitted for the Little Egbert Multi-Benefit Project was incomplete and did not demonstrate that wildlife movement, specifically large waterfowl or flocking birds that could pose substantial hazards to aircraft in flight, would be minimized or provide any recommended mitigation measures. County staff provided comments on the WHA on May 2, 2023 (attached); however, a reply has not yet been received by the County. Given the release of the NOP, any future WHA would need to include an updated baseline of surveys consistent with CEQA guidelines and data from airports of similar settings to substantiate the findings.

The Little Egbert Project EIR analysis shall consider the impacts and risks of the proposed project for the people residing in the vicinity, pilot(s), passengers, cargo, and aircraft(s) in flight, due to the increase of hazardous wildlife attractants and the cumulative impacts of such projects due to its location within the Delta Plan Priority Area of multiple habitat restoration projects attracting wildlife.

Collaboration between staff from the County, ALUC, and DWR is imperative to address the potential impacts of increased wildlife attractants near the Rio Vista Municipal Airport and the Travis AFB.

I look forward to continuing working with DWR and the Wildlife Hazards Team regarding impacts to aircraft in flight and the content of the Wildlife Hazards Analysis. Please feel free to contact me at nnferrario@solanocounty.com or 707-784-3170

Sincerely,

Nedzlene Ferrario

Principal Planner

Attachments

Little Egbert Multi-Benefit Project Notice of Preparation (NOP)

County Staff Comments on WHA dated May 2, 2023



Final

LITTLE EGBERT MULTI-BENEFIT PROJECT

Wildlife Hazard Analysis

Prepared for Westervelt Ecological Services February 2023





From: Ferrario, Nedzlene N.

Eric Nagy; Roberts, Michael@DWR; Ramona Swenson; Madeline Baker; LeRoy, Megan@DWR To:

Travis Belt; Calder, Allan M.; Borre, Robin; Krystine Ball; Mazzella, Lori Cc:

Little Egbert Multi Benefit Project WHA Subject: Date: Tuesday, May 2, 2023 11:45:00 AM

LEMBP Wildlife Hazard Analysis Final 2023-2-27 SWCA Comments 4.21.2023.pd 1 image002.png2 Attachments:

Good morning Eric –

I'm now following up on the meeting in February. My apologies for the delay.

We reviewed the document and would like to continue our discussion with you in a meeting by mid-May 2023. We continue to be concerned about the impacts on to the Rio Vista Airport and consistency with the Airport Compatibility Plan. The submitted WHA document lacks survey or strike data to substantiate the findings. The document is unclear about the proposed habitat type, acreages, depth of open water, and the seasons/months of the year the project could be flooded. We also believe you could provide information comparable airports regarding the bird strike occurrences or wildlife management practices to aid our discussion.

Please inform me of your team's availability in Mid- May.

Warmest regards,

Nedzlene Ferrario **Principal Planner**

Planning Services Division Department of Resource Management 675 Texas Street, Suite 5500 Fairfield, CA 94533

Main: 707 784 6765 Direct: 707 784 3170



From: Ferrario, Nedzlene N.

Eric Nagy; Roberts, Michael@DWR; Ramona Swenson; Madeline Baker; LeRoy, Megan@DWR To:

Travis Belt; Calder, Allan M.; Borre, Robin; Krystine Ball; Mazzella, Lori Cc:

Little Egbert Multi Benefit Project WHA Subject: Date: Tuesday, May 2, 2023 11:45:00 AM

LEMBP Wildlife Hazard Analysis Final 2023-2-27 SWCA Comments 4.21.2023.pd 1 image002.png2 Attachments:

Good morning Eric –

I'm now following up on the meeting in February. My apologies for the delay.

We reviewed the document and would like to continue our discussion with you in a meeting by mid-May 2023. We continue to be concerned about the impacts on to the Rio Vista Airport and consistency with the Airport Compatibility Plan. The submitted WHA document lacks survey or strike data to substantiate the findings. The document is unclear about the proposed habitat type, acreages, depth of open water, and the seasons/months of the year the project could be flooded. We also believe you could provide information comparable airports regarding the bird strike occurrences or wildlife management practices to aid our discussion.

Please inform me of your team's availability in Mid- May.

Warmest regards,

Nedzlene Ferrario **Principal Planner**

Planning Services Division Department of Resource Management 675 Texas Street, Suite 5500 Fairfield, CA 94533

Main: 707 784 6765 Direct: 707 784 3170



Final

LITTLE EGBERT MULTI-BENEFIT PROJECT

Wildlife Hazard Analysis

Prepared for Westervelt Ecological Services February 2023

2600 Capitol Avenue Suite 200 Sacramento, CA 95816 916.564.4500 esassoc.com

Atlanta San Diego Bend Palm Beach County San Francisco San Jose Camarillo Pasadena Irvine Pensacola Sarasota Petaluma Seattle Los Angeles Mobile Portland Tampa

Oakland Sacramento

D201900946.01



OUR COMMITMENT TO SUSTAINABILITY | ESA helps a variety of public and private sector clients plan and prepare for climate change and emerging regulations that limit GHG emissions. ESA is a registered assessor with the California Climate Action Registry, a Climate Leader, and founding reporter for the Climate Registry. ESA is also a corporate member of the U.S. Green Building Council and the Business Council on Climate Change (BC3). Internally, ESA has adopted a Sustainability Vision and Policy Statement and a plan to reduce waste and energy within our operations. This document was produced using recycled paper.

TABLE OF CONTENTS

Little Egbert Multi-Benefit Project Wildlife Hazard Analysis

<u> </u>	Page
Summary	1
Introduction	1-1 1-2
Methodology Land Cover and Biological Communities Aircraft Bird Strike Review Wildlife Surveys	2-1 2-1
Results	3-1 3-2
Discussion Current Airport Safety Risk Potential of Proposed Project Project Design Considerations Potential Mitigation Measures and Next Steps	4-1 4-2 4-4
References	5-1
ures	
Little Egbert Tract Study Area	1-5 1-6 2-3 3-3
	Summary Introduction

		<u>Page</u>
Figure 8	Bird Observations by Grid Location and Biological Community (April–August 2020)	3_11
Figure 9 Figure 10	All Bird Observations by Survey Point (September 2021-March 2022) All Goose Observations by Survey Point (September 2021–March 2022)	.3-12
Figure 11	Bird Observations by Grid Location and Biological Communities (September 2021–March 2022)	. 3-14
Figure 12	Raptor Observations by Point and Biological Community (April–August 2020)	
Figure 13	Raptor Observations by Point and Biological Communities (September 2021–March 2022)	. 3-16
	Waterfowl Observations by Point and Biological Community (April–August 2020)	.3-17
	Waterfowl Observations by Point and Biological Communities (September 2021–March 2022)	.3-18
Figure 16	Snow geese flying across Little Egbert Tract and Inner WHA (March 17, 2021)	.3-20
List of Tab	ples	
Table 1	Rio Vista ALUC Wildlife Hazard Policies	
Table 2	Survey Dates, Timing, Tasks, and Biologists	
Table 3 Table 4	Land Cover and Biological Communities	3-2
Table 4	and Occurrence at Study Area	3-5
Table 5	Top 10 Species Observed by Number of Individuals (April-August 2020)	
Table 6	Top 10 Guilds Observed by Number of Individuals (April-August 2020)	3-8
Table 7	Top 10 Species Observed by Number of Individuals (September 2021-	2.0
Table 8	March 2022)	3-9
Table 0	2022)	.3-10
Table 9	Species Groups Known to Be Attracted to Land Use Types in Solano	
	County	
Table 10	Land Use Attractants for Highly Damaging Bird Species	4-3

3

EXECUTIVE SUMMARY

The Little Egbert Multi-Benefit Project (Project) is proposed for the Little Egbert Tract property in Solano County. The Project Area is east of the Rio Vista Municipal Airport (Airport) and within the Airport's Wildlife Hazard Analysis (or WHA) Boundary as delineated in the Rio Vista Airport Land Use Compatibility Plan (ALUCP) (Solano County ALUC 2018). The Project is proposed to improve existing levees along the landward (western) boundary, grade areas to create landforms for wetland and aquatic habitat, and construct breaches in the outboard (eastern) levee along Cache Slough to restore tidal inundation to the site.

As required by the Rio Vista ALUCP (Policies WH-Find WH-2), this report provides a Wildlife Hazard Analysis to evaluate existing and potential future conditions for wildlife hazards to aircraft as a result of the proposed Project. Objectives include:

- 1. Characterize existing hazard potential by analyzing aircraft strike data for the Rio Vista Municipal Airport.
- 2. Identify habitat features that attract wildlife at the study area.
- 3. Identify wildlife species at the study area, including numbers, locations, local movements, and daily and seasonal occurrences.
- 4. Analyze potential wildlife hazards under existing conditions and evaluate potential changes in hazard potential under the proposed Project.

The Little Egbert Tract property is currently cultivated in row crops and alfalfa. The lands surrounding the Airport have long been managed in agriculture. Over the last 10 years, only one bird strike was recorded at the Airport (a goose strike in October 2011 that caused repairable damage to the aircraft but no injury). In general, large birds such as geese, ducks, and gulls are most hazardous.

Field surveys were conducted in two periods: (1) late-spring and summer (April–August 2020) during crop cultivation and bird breeding season, and (2) fall and winter (September 2021–March 2022) during the harvest and fallow period, when birds migrate and overwinter. During the summer, blackbirds were the most common birds observed. During the fall and winter, waterfowl were common, often in large flocks foraging in the post-harvest fields. Once in March 2021, a flock of several hundred snow geese were observed foraging and flying across the approach zone for the runway while a small aircraft flew low over adjacent fields to the west.

Under post-Project conditions, the site would become 2 ostly open water, with intertidal emergent marsh and riparian vegetation around the perimeter hese wetlands and aquatic habitat can be used by waterbirds, but the total number and densities will be much lower than those that currently occur. Therefore, the wildlife hazard risk would be no greater and would likely lessen with the Project.

Page: 9

Number: 1 Author: tbelt Subject: Sticky Note Date: 4/21/2023 11:39:18 AM WH-1 includes the following "The WHA must demonstrate wildlife attractants that may pose hazards to aircraft in flight will be minimized." This WHA does not present potential measures to minimize wildlife hazards to aircraft. Number: 2 Author: tbelt Subject: Sticky Note Date: 4/21/2023 11:09:12 AM Based on the project description provided in this report and the presentation provided by the Little Egbert project team, it seems that the project description is not defined enough to definitely say that the post-project conditions would result in "mostly open water." Since the ratio of open water to other habitats (edge habitat creation) would influence wildlife attraction to the site, I recommend including anticipated acreages of habitats to be created. Number: 3 Author: tbelt Subject: Sticky Note Date: 4/21/2023 11:14:15 AM

I understand that these WHAs are somewhat theoretical in attempting to determine how local wildlife will respond to land use changes. However, I do not believe that this report provides enough of an analysis to make the statement that wildlife hazard risk would be static or lessen in post-project conditions. This is in part due to the lack of a clear description of the post-project conditions and the limited strike analysis presented in this report. I have additional comments of this nature in the body of the report.

This page intentionally left blank

CHAPTER 1

Introduction

1.1 Project Information

1.1.1 Project Goals

The Little Egbert Joint Powers Agency¹ (LEJPA) and the California Department of Water Resources (DWR) are collaborating to develop a multi-benefit project in the lower Yolo Bypass and Cache Slough Complex. The purpose of the proposed Little Egbert Multi-Benefit Project (Project) is to meet multiple state and local policy goals in an open and transparent manner with ample opportunity for public input. The goals of the proposed Project, in no order of importance, include the following:

- Enhance Public Safety: Enhance public safety, health, and quality of life for the state's citizens as outlined in State and local planning efforts (Central Valley Flood Protection Plan [CVFPP], Lower Sac Delta North Regional Flood Management Plan, and Solano County planning efforts). Reduce local and regional flood risk to agricultural and urbanizing areas while improving flood flow capacity by providing flood stage reductions and increased flood flow capacity within the Lower Yolo Bypass.
- Protect and Enhance Natural Ecosystem Processes to Increase Habitat and Support Species: Provide ecosystem and habitat restoration, as well as preserve and enhance riparian and other native habitats to contribute to the recovery and sustainability of native species, where compatible with construction, operation, and maintenance of flood risk-reduction infrastructure, and consistent with adopted State and local plans. Create opportunities for environmental offsets and habitat restoration as outlined in local resource planning efforts (CVFPP Conservation Strategy, Delta Plan, Solano Habitat Conservation Plan, and Cache Slough Habitat Conservation Plan).
- Protect and Enhance Opportunities for Recreation: Provide improved or new public outdoor recreation and open space opportunities, where compatible with construction, operation, and maintenance of flood risk-reduction infrastructure, and consistent with adopted State and local plans.

1.1.2 Project Area and Study Area

The Project Area is on a 3,480-acre property known as the Little Egbert Tract (Property), located in the legal Sacramento-San Joaquin River Delta. The Property is located at the downstream

The Little Egbert Joint Powers Agency (LEJPA) was created in October 2020 between Reclamation District (RD) 2084 and RD 536 for the purpose of advancing and implementing the LEMBP. RD 2084 encompasses the Little Egbert Tract; RD 536 encompasses the Egbert Tract and lies directly west of RD 2084.

² The Sacramento-San Joaquin Delta is defined in Water Code section 12220.

Page: 11

Number: 1 Author: tbelt Subject: Sticky Note Date: 4/21/2023 11:52:13 AM

Enhancing public safety includes many facets one of which is safe aviation. The Little Egbert Multi-Benefit Project Board Update presentation dated November 7, 2022 and this stated Project Goal indicate that aviation safety was not one of the parameters considered in the Level 1 Alternative Pre-screening. Please describe how safe aviation was considered in the pre-screening.

(southern) end of the Yolo-Bypass in Solano County, California, and north of the city of Rio Vista, California. The Property is bordered by Lindsey Slough on the north, Cache Slough on the north and east, State Highway 84 on the southeast, a State Plan of Flood Control levee (Project Levee) on the west, farm berms and state levees on the southwest, and a Project Levee (Mellin) to the south (Sacramento Area Flood Control Agency 2018). The Project Area is also located just upstream of the confluence of Cache Slough, Steamboat Slough, and the Sacramento River. The Property is currently under agricultural cultivation, and most of the Property has a restricted-height levee under flowage easements on the north and east along Cache Slough to allow high flows to flood and pass through the site.

The Project Area is located approximately one mile northeast of the City of Rio Vista, approximately 0.4 miles east of the Rio Vista Municipal Airport (Airport), and approximately 12 miles east of Travis Air Force Base.

The study area (3,830 acres) for the Project includes the Little Egbert Tract (3,480 acres) and the Powell Property (350 acres), which lies to the south (**Figure 1**).

1.1.3 Project Overview

The proposed Project would convert existing agricultural land to tidal wetlands, open water, and riparian habitat. The proposed Project is currently in the feasibility study and planning phase. The preliminary design concept alternatives include the following components:

- De-grade portions of the existing restricted-height levee that separates the Property from Cache Slough (along the north) and construct inflow and outflow openings along Cache Slough to connect the floodplain and improve conveyance during flood events.
- Improve and/or repair existing levees and construct new levees impacted by the Project to current U.S. Army Corps of Engineers standards.
- Construct a meandering subtidal swale to provide rearing habitat for fisheries (certain alternatives).
- Construct habitat berms and contour grades to establish tidal marsh subtidal habitats.
- Plant native trees, shrubs, and marsh plant species to establish native terrestrial habitats.
- Stabilize portions of the restricted-height levee and plant with native riparian trees and shrubs to provide shaded riverine habitat and nesting bird habitat.
- Provide new or enhanced opportunities for recreation consistent with flood protection and habitat restoration goals.


1.2 Airport Land Use Compatibility

The study area and Airport are located in an important migratory and wintering area within the Pacific Flyway. Known localities of wildlife use include Suisun Marsh (approximately 12 miles west of the Airport) and the Yolo Wildlife Management Area (16 miles north of the Airport).

Page: 12

Number: 1 Author: tbelt Subject: Sticky Note Date: 4/21/2023 12:04:22 PM

A stated goal of the project is to "plant native trees and shrubs to provide shaded riverine habitat and nesting bird habitat." In addition, this report and the presentations mention the creation of open water habitat and intertidal salt marsh habitat. These land use changes will vastly increase edge habitats, which are attractants to wildlife. Especially as compared to the existing conditions of the site. Considering the project goals, it is difficult to see how the "wildlife hazard risk would be no greater and would likely lessen with the Project." A more detailed analysis of strike data from other airports with similar environs as the proposed conditions may shed light on the potential changes in wildlife hazards that may result from the Project.



SOURCE: USDA, 2018; Westervelt, 2019; ESA, 2019

Little Egbert Multi-Benefit Project





The Solano County Airport Land Use Commission (ALUC) may review certain discretionary projects located within an Airport Influence Area (AIA) for consistency with the applicable Airport Land Use Compatibility Plan (ALUCP). The Project area is located within the AIAs for Rio Vista Municipal Airport (Figure 2) and Travis Air Force Base.³ The Inner Wildlife Hazard Analysis (or WHA) Boundary encompasses the area within 6,000 feet of the runway centerline. The Outer WHA Boundary is located 5 miles from the farthest edge of the Airport's Air Operations Area (AOA), which is the distance the Federal Aviation Administration (FAA) recommends for any hazardous wildlife attractant if the attractant could cause hazardous wildlife movement into or across the approach or departure airspace (Solano County ALUC 2018). As delineated in the Rio Vista ALUCP (Solano County ALUC 2018), the Inner WHA Boundary covers the southern half of the study area, except for the eastern areas close to Cache Slough (Figure 3). The entire study area is located within the Outer WHA Boundary, as delineated in the Rio Vista ALUCP. The southwest part of the study area also falls within Rio Vista Airport Safety Zones 2, 3, 4, and 6 (the inner approach/departure, inner turning, outer approach/departure, and traffic pattern zones, respectively). The safety compatibility criteria for these safety zones reiterates the requirement to prepare a Wildlife Hazard Analysis for areas also within the Inner WHA Boundary, referring to the ALUCP wildlife hazard policies.

As delineated in the Travis ALUCP, the study area is located within the Outer WHA Boundary as well as Compatibility Zone E (which restricts tall buildings) but outside the Travis Air Force Base Inner WHA Boundary.

According to the Rio Vista ALUCP, the ALUC shall apply the wildlife hazard policies to discretionary projects located within the WHA Boundary (**Table 1**) The proposed Project is required to prepare a Wildlife Hazard Analysis (Policies WH-1 and WH-2) and to consider the findings as part of the environmental review process required by the California Environmental Quality Act (CEQA) (Policy WH-3).

A Wildlife Hazard Analysis is a report focused on a single project in the airport environs to identify the types of wildlife hazards present in that project area (ESA 2022). The Wildlife Hazard Analysis should provide information sufficient to respond to relevant questions in the CEQA Guidelines, Appendix G, Environmental Checklist. The analysis report should include recommendations for minimizing and mitigating any potential hazards posed by a proposed land use action. This is distinct from a Wildlife Hazard Assessment, as described by the FAA in Advisory Circular (AC) 150/5200-38, *Protocol for the Conduct and Review of Wildlife Hazard Site Visits, Wildlife Hazard Assessments, and Wildlife Hazard Management Plans.* A Wildlife Hazard Assessment is prepared by an airport as a precursor to a Wildlife Hazard Management Plan. A Wildlife Hazard Site Visit is preliminary to a Wildlife Hazard Assessment. A Wildlife Hazard Analysis is intended to be less complex than a Wildlife Hazard Assessment (Solano County ALUC 2018, ESA 2022).

The AIA for Travis Air Force Base constitutes the entirety of Solano County and portions of Contra Costa, Napa, and Yolo Counties.

Page: 14

Number: 1 Author: tbelt Subject: Sticky Note Date: 4/24/2023 12:22:52 PM

WH-1 includes the following "The WHA must demonstrate wildlife attractants that may pose hazards to aircraft in flight will be minimized." This WHA does not present potential measures to minimize wildlife hazards to aircraft. If the CEQA analysis proceeds with the findings of this report as the basis of the impact evaluation, the CEQA equivalent determination would be "no-impact" in regard to safety associated with wildlife hazards. As proposed, the project would clearly have an affect on aviation safety and "no-impact" would be an erroneous determination under CEQA.


Recognizing that this WHA is the first step in the analysis, Solano County looks forward to working with the Little Egbert team to adequately assess the potential changes in wildlife hazards resulting from the project and investigating mitigation options to minimize the hazards.

Little Egbert Multi-Benefit Project # DAH STAND STAND

SOURCE: California Airport Land Use Planning Handbook, October 2011; ESA, 2020

*NOTE: Crosshatched areas are in Sacramento County, outside the jurisdiction of the Solano County Airport Land Use Commission. The Rio Vista ALUCP is advisory only in these areas





*NOTE: Crosshatched areas are in Sacramento County, outside the jurisdiction of the Solano County Airport Land Use Commission. The Rio Vista ALUCP is advisory only in these areas



TABLE 1
RIO VISTA ALUC WILDLIFE HAZARD POLICIES

Policy Number	Description
WH-1 Known Wildlife Hazards in Solano County - Inner WHA Boundary	Within the Inner WHA Boundary as shown on Figure 2, new or expanded land uses involving discretionary review that has the potential to attract wildlife and cause bird strikes are required to prepare a wildlife hazard analysis (WHA). Reviewing agencies shall prepare a WHA for projects that have the potential to attract wildlife that could cause bird strikes. Expansion of existing wildlife attractants includes newly created areas and increases in enhanced or restored areas. The WHA must demonstrate wildlife attractants that may pose hazards to aircraft in flight will be minimized.
WH-2 Known Wildlife Hazards in Solano County - Outer WHA Boundary	Outside the Inner WHA Boundary but within the Outer WHA Boundary, as shown on Figure 2, any new or expanded land use involving discretionary review that has the potential to attract the movement of wildlife and cause bird strikes are required to prepare a WHA. Expansion of existing wildlife attractants includes newly created areas and increases in enhanced or restored areas. All reasonably feasible mitigation measures must be incorporated into the planned land use. The WHA must demonstrate wildlife movement that may pose hazards to aircraft in flight will be minimized.
WH-3 Environmental Review Compliance	All discretionary projects located within the Inner WHA Boundary or Outer WHA Boundary are required to consider the potential for the project to attract hazardous wildlife, wildlife movement, or bird strike hazards as part of the environmental review process required by the California Environmental Quality Act (CEQA).
	Because biological and hazard impacts are required to be examined in the context of CEQA compliance, it is anticipated that most projects will develop the information necessary to prepare a WHA and demonstrate compliance with Policy WH-3 as part of the CEQA process, and that separate documentation will not be needed. Proposed projects within the Inner WHA Boundary that have the potential to cause a significant adverse impact under Policy WH-1, with or without mitigation, shall be reviewed by the ALUC (including but not limited to projects requiring an environmental impact report, mitigated negative declaration, or equivalent document).

SOURCE: Appendix H, Rio Vista Airport Land Use Compatibility Plan (Solano County ALUC 2018)

1.3 Objectives of Wildlife Hazard Analysis

Environmental Science Associates (ESA) has prepared this Wildlife Hazard Analysis for the Little Egbert Joint Powers Agency (LEJPA) and Westervelt Ecological Services (WES) to evaluate existing and potential future conditions of wildlife hazards to aircraft as a result of the proposed Project, as required of the Rio Vista ALUCP Policies WH-1 and WH-2. The objectives of this Wildlife Hazard Analysis include:

- Characterize existing hazard potential by analyzing aircraft strike data for the Rio Vista Municipal Airport
- 2. Identify habitat features that attract wildlife at the study area
- 3. Identify wildlife species at the study area, including numbers, locations, local movements, and daily and seasonal occurrences.
- 4. Analyze potential wildlife hazards under existing conditions and evaluate potential changes in hazard potential under the proposed Project.

The methods employed for this Wildlife Hazard Analysis follow the guidelines for Wildlife Hazard Site Visits provided for in FAA AC 150/5200-38. The Wildlife Hazard Site Visit methods are appropriate for evaluating the proposed Project because they provide guidelines, procedures,

and recommendations for assessing wildlife attractants and movements near airfields. ESA mapped land cover and natural communities at the study area to identify wildlife attractants and conducted a reconnaissance visit in March 2021. In addition, this Wildlife Hazard Analysis includes surveys consistent with methodologies for a more intensive Wildlife Hazard Assessment (FAA AC 150/5200-38). ESA conducted avian and mammalian surveys during the spring—summer breeding season (April—August 2020) and fall—winter migration and overwintering season (September 2021—March 2022) to characterize existing wildlife use (baseline conditions). Finally, this analysis considers past wildlife airstrike data, presence of high-risk species, and expected future wildlife use of the proposed Project upon completion.

CHAPTER 2

Methodology

2.1 Land Cover and Biological Communities

Existing biological communities were previously mapped for the study area (ESA 2019). Surrounding land use was assessed qualitatively using Google Earth imagery. Expected future biological communities were described based on the preliminary design of the proposed Project.

2.2 Aircraft Bird Strike Review

The FAA maintains a nationwide database of bird strikes reported since 1990 (FAA 2020a). This database was queried to identify the types of species most frequently struck, the species most likely to result in aircraft damage, and bird strikes documented at the Airport.

2.3 Wildlife Surveys

The surveys were conducted using methodology similar to the protocol provided in FAA AC 150/5200-38, *Protocol for the Conduct and Review of Wildlife Hazard Site Visits, Wildlife Hazard Assessments, and Wildlife Hazard Management Plans.* The FAA protocol (14 CFR Part 139.337 (c)(2)) requires the "identification of the wildlife species observed and their numbers, locations, local movements, and daily and seasonal occurrences." This generally requires a 12-month assessment to document the seasonal patterns of birds and other wildlife using an airport and surrounding area during an annual cycle. Birds should be surveyed during the diurnal periods of morning, midday, and evening hours while appropriate nocturnal surveys and/or tracking indices are incorporated to sample mammals.

The surveys were designed by and conducted under the direct supervision of FAA-qualified airport wildlife biologist Brendon Quinton. Each survey event consisted of three data collection periods: dawn, midday, and dusk. Data were collected at each of these time periods for every established survey point. Surveys in 2020 were conducted on 2 days a month, as per FAA protocol. Surveys in 2021–2022 were limited to 1 day a month, consisting of seven data collection periods. **Table 2** lists the date and timing of surveys conducted and identifies the biologists for each survey.


FAA guidance requires survey points approximately one-half mile apart across a study area. In 2020, 28 survey points were strategically placed and visited during each survey event over the 3,830-acre study area per the FAA's guidance of placing vantage points such that 50 hectares are covered at each location (**Figure 4**). After the 2020 surveys, it was determined that 16 of those 28 survey points provided a comprehensive view of the site and equal coverage over the various

habitats (Figure 4). Therefore, the 2021–2022 surveys were limited to those 16 points. One-third mile by one-third mile grids were generated within and around the study area.

All avian species observed and their associated locations and activities were recorded for 3-minute intervals at each survey point. All birds were documented by species and number of individuals present and their activity was noted, including whether they were foraging, loafing, or vocalizing on the ground or on any objects in the study area. In addition, the grid location of where the individual was observed was documented.

TABLE 2
SURVEY DATES, TIMING, TASKS, AND BIOLOGISTS

Year	Date	Bird Count and Wildlife Survey Timing	Other Work Performed	Biologist(s)
2020	April 22	Dawn, Midday, and Dusk	Camera Install	KB, JH
2020	April 29	Dawn, Midday, and Dusk	Camera Card Replaced, Photo Review	JH, JD
2020	May 12	Dawn, First Half Midday	Camera Card Replaced, Photo Review	KB, JH
		Second Half Midday, First Half Dusk	Set Small Mammal Traps	EW, JD, JH, KB
2020	May 13	Dawn	Checked Small Mammal Traps	EW, KB
2020	May 19	Second Half Dusk	Nighttime Wildlife Spotlighting	KB, JH
		Dawn and First Half Midday	Camera Card Replaced, Photo Review	
2020	May 21	Second Half Midday and Dusk	Second Half Midday and Dusk	EW, JD
2020	June 8	Dawn and First Half Midday	Camera Card Replaced, Photo Review	KB, LD
		Second Half Midday and Dusk		EW, JD
2020	June 24	Dawn and First Half Midday	Camera Card Replaced, Photo Review	KB, LD
		Second Half Midday and Dusk	Second Half Midday and Dusk	EW, JD
2020	July 8	Dawn and First Half Midday	Camera Card Replaced, Photo Review	KB, JH
		Second Half Midday and Dusk		EW, JD
2020	July 22	Dawn and First Half Midday	Camera Card Replaced, Photo Review	KB, LD
		Second Half Midday and Dusk		EW, JD
2020	August 6	Dawn and First Half Midday	Camera Card Replaced, Photo Review	KB, JD
		Second Half Midday and Dusk		EW, JD
2021	September 16	Dawn, Midday, Dusk	Camera Install	KB, JH
2021	October 13	Dawn, Midday, Dusk	Camera Card Replaced, Photo Review	KB, LD
2021	November 17	Dawn, Midday, Dusk	Camera Card Replaced, Photo Review	KB, JD
2021	December 14	First Half Dawn	Camera Card Replaced, Photo Review	KB, JH
2021	December 30	Second Half Dawn, Midday, Dusk	Camera Card Replaced, Photo Review	JH, JD
2022	January 19	Dawn, Midday, Dusk	Camera Card Replaced, Photo Review	JH, LD
2022	February 17	Dawn, Midday, Dusk	Camera Card Replaced, Photo Review	JH, AC
2022	March 30	Dawn, Midday, Dusk	Camera Card Replaced, Photo Review	JH, JD
BIOLOG	GISTS: AC – Alyssa EW - Erika	· ·	• •	



SOURCE: Westervelt, 2018; ESA, 2021

Little Egbert Multi-Benefit Project



ATTACHMENT C File #AC 23-031

In addition to these systematic surveys, anecdotal observations were made during a site visit on March 17, 2021.

ESA conducted a single nighttime survey during the spring season (March–May 2020). The survey consisted of driving around the study area after sunset with a spotlight. Because of the low likelihood of a single seasonal nighttime spotlight survey yielding an abundance of nocturnal animal sightings, ESA supplemented the seasonal nighttime spotlight surveys with three stationary wildlife Browning Trail cameras mounted on wooden stakes or poles within the northern, central, and southern portions of the study area. SD memory cards were inserted into the cameras. The cameras took photographs at 1-minute intervals, or more frequently if triggered by movement. The SD memory cards were swapped out with clean memory cards during each site visit. Photographs were taken seasonally throughout the duration of surveys. The photographs were viewed on the computer between site visits, and any wildlife species present were noted. Representative photographs of the wildlife present are provided in **Attachment A**.

CHAPTER 3

Results

3.1 Land Use and Biological Communities

The Airport is located 2 miles west of the Sacramento River. The vicinity around the Airport is characterized by agricultural land use (irrigated agriculture, rangeland), tidal open water (Cache Slough and Liberty Island), and pockets of residential and urban development. Land use adjacent to the Airport includes agricultural lands to the north and east (including Little Egbert Tract), open space to the southeast (grassland, including a seasonal pond), a patch of apparent scrubland to southeast, and residential development to the west and southwest.

Upland biological communities within the study area include riparian, grassland, agricultural, ruderal/disturbed, and developed (**Figure 5** and **Table 3**) (ESA 2019). Disturbed/ruderal areas include dirt and gravel roads and staging areas for farm equipment throughout the study area, along with roadsides and levee slopes. Developed areas include paved roads. Aquatic biological communities within the study area include seasonal wetland, freshwater emergent wetland, swale, agricultural ditch, irrigation canal, and riverine.

Agricultural land uses account for 78 percent of the study area (ESA 2019). Within Little Egbert Tract, the dominant use is irrigated agriculture (2,519.3 acres, 71 percent of the study area) and two patches of farmed wetland (3.6 acres). The agricultural land has been leveled and undergoes frequent, generally seasonal cycles of tillage, seedbed preparation, seeding, crop growth, and harvesting, along with applications of irrigation water, fertilizers, and pesticides. The majority of Little Egbert Tract is used for row crops and alfalfa, while the southern portion is used for livestock grazing. Other land use in the study area (but west of the Liberty Island Road levee and hence outside the Project area) include dry-farmed agriculture (60.9 acres, winter wheat) and irrigated pasture (79.7 acres).

Biological communities immediately surrounding the study area include open water to the north and east, agricultural land to the south, followed by residential and commercial development associated with the city of Rio Vista, development associated with the Rio Vista Municipal Airport to the southwest, and agricultural land to the west.


TABLE 3
LAND COVER AND BIOLOGICAL COMMUNITIES

Land Cover	Acres	Percent
Biological Communities		
Freshwater Emergent Wetland	96.0	2.7%
Seasonal Wetland	57.2	1.6%
Swale	0.4	<0.1%
Riparian	59.8	1.7%
Grassland	243.1	6.9%
Alkali Grassland	0.6	<0.1%
Disturbed/Ruderal	309.0	8.7%
Arundo	1.1	<0.1%
Riverine	9.6	0.3%
Agricultural Land Use		
Irrigated Agriculture	2,519.3	71.0%
Irrigated Pasture	79.7	2.3%
Dry-farmed Agriculture	60.9	1.7%
Farmed Wetland	3.6	0.1%
Canal	68.0	1.9%
Agricultural Ditch	28.6	0.8%
Developed	10.8	0.3%
TOTAL	3,547.7	100.0%
SOURCE: ESA (2019)		

3.2 Aircraft Bird Strike Review

Table 4 lists the 33 species of birds reported most frequently in aircraft strikes nationwide between 1990–2018 (FAA 2019). Mourning dove, American kestrel, killdeer, barn swallow, and horned lark were the top five most frequently struck species. Mourning doves are the most common species of bird struck by civil aircraft in the U.S., accounting for 11 percent of the birds identified by species. In California, there were 9,212 bird strikes between 2010 and 2020 (FAA 2020a). About 53 percent of bird strikes occur from July to October, which is when young birds have recently fledged from nests and fall migration occurs.

Larger birds, particularly waterfowl and raptors, are found to cause more damage to aircraft (FAA 2020b). Nationally, strikes involving Canada goose, red-tailed hawk, mallard, turkey vulture, great blue heron, and osprey resulted in aircraft damage more often (14 to 50 percent of strikes) than strikes involving other bird species (FAA 2019). In California, waterfowl (ducks and geese) accounted for only 5 percent of the strikes but were responsible for 28 percent of the strikes that caused damage to the aircraft between 1990 and 2019 (FAA 2020b). Other large species in California that cause higher damage include white-tailed deer (*Odocoileus virginianus*), coyote (*Canis latrans*), domestic dog (*Canis lupus familiaris*), bald eagle (*Haliaeetus leucocephalus*), and American white pelican (*Pelecanus erythrorhynchos*) (FAA 2020a).



SOURCE: Westervelt, 2019; ESA, 2019

Little Egbert Multi-Benefit Project


This page intentionally left blank

	D: 10 ·	Strikes	s in US	Presence or Potential	to Occur at Study Area ¹
Rank	Bird Species	Number	% with Damage	Apr–Aug 2020	Sep 2021–Mar 2022
1	Mourning dove	10,187	2.1	None observed	Present
2	Killdeer	6,357	0.9	None observed	Present
3	American kestrel	6,155	0.6	None observed	Present
4	Barn swallow	6,036	0.4	None observed	Present
5 🗖	Horned lark	5,149	0.5	None observed	Present
2	European starling	4,816	2.9	None observed	Present
7 _	Rock dove (pigeon)	3,411	7.8	None observed	Present
[3	Red-tailed hawk	2,947	13.7	None observed	Present
	Eastern meadowlark	2,605	0.5	None observed, outside species range	None observed, outside species range
10_	Cliff swallow	1,988	0.3	Present, Top 10 most abundant	Present, Top 10 most abundant
14	Ring-billed gull	1,783	7.5	None observed	None observed
2 5	Canada goose	1,781	48.7	None observed	Top 10
13	Western meadowlark	1,604	1.5	Present	Present
14	Barn owl	1,475	3.5	None observed	None observed
<u>.</u> 6	Herring gull	1,443	9.1	None observed	Gulls observed, but not specified. Herringull not present in spring/summer
16	American robin	1,439	7.4	Present	Present
17 🗖	Pacific golden-plover	1,126	1.2	None observed. Rare in Solano County	None observed. Rare in Solano County
7	Mallard	1,064	20.4	Present	Present
19 -	Chimney swift	936	0.9	None observed, outside species range	None observed, outside species range
.0 <mark>8</mark>	Tree swallow	872	0.0	Present	Present
21	Savannah sparrow	830	1.0	Present	Present
29	Turkey vulture	825	49.9	Present	Present
23	Common nighthawk	799	0.6	None observed, outside species range	None observed, outside species range
24	Short-eared owl	614	2.1	None observed,	None observed
5 10	Laughing gull	583	3.6	None observed, outside species range	None observed, outside species range
∠ 6	Bank swallow	555	0.4	None observed. Rare in Solano County	None observed. Rare in Solano County
27	Cattle egret	543	7.7	None observed	None observed
28	American crow	518	7.1	Present	Present
11	Red-winged blackbird	485	1.0	Present, Top 10 most abundant	Present, Top 10 most abundant
<u>J12</u>	Great blue heron	462	18.8	Present	Present
J1	Peregrine falcon	433	6.2	None observed	None observed
13	Osprey	427	23.2	Present	Present
14	Yellow-rumped warbler	378	0.2	Present	Present

 $^{1 \}quad \text{Top } 10 - \text{The ten most abundant species during each of the two survey seasons, provided in Tables 5 and 6.}$

SOURCE: U.S. Department of Transportation, Federal Aviation Administration (FAA) 2019

Page: 27




There has been one reported bird strike at Rio Vista Municipal Airport in the last decade. A bird strike involving a Canada goose was reported on October 30, 2011; the pilot landed safely and the strike resulted in substantial but repairable damage.

3.3 Wildlife Surveys

3.3.1 Bird Count Surveys

Daily Activity Patterns

During the late spring—summer study (April to August 2020), a total of 29,641 individual birds were counted in the study area on 11 survey days. During the fall—winter study (September 2021 to March 2022), a total of 26,198 individual birds were counted on 8 survey days. The number of bird observations was the greatest during dawn, decreased during midday, and was at the lowest during dusk (**Figure 6**).



Little Egbert Multi-Benefit Project

Figure 6

Bird Observations (Number of Individuals) by Time of Day Summer (April to August 2020) Versus Fall-Winter (September 2021 to March 2022)

Bird Species and Guilds

Late Spring-Summer 2020

During the spring–summer 2020 surveys, the top 10 most abundant species represented 79.8 percent of all birds observed (**Table 5**). Nearly half of all observed birds were red-winged blackbird (*Agelaius phoeniceus*) (29 percent) and cliff swallow (*Petrochelidon pyrrhonota*) (20.3 percent) (**Figure 7**). The top 10 most abundant guilds represented 97.7 percent of all individual birds observed, led by icterids (blackbirds, 38.1 percent) and swallows (25.0 percent) (**Table 6**). Large birds, identified by the FAA (2019) to cause the most damage in air collisions (that is raptors, gulls, and waterfowl), make up 15.4 percent of the total species observed (raptors 8.9 percent, gulls 2.7 percent, waterfowl 3.8 percent) (Table 5).

Page: 28

Number: 1 Author: tbelt Subject: Sticky Note Date: 4/24/2023 1:28:54 PM

Rio Vista's strike data (or lack of) does not provide much insight to the species that could become a strike hazard at Rio Vista under the proposed conditions. The FAA database does provide good insight, as discussed in Table 4. However, neither of these data sources specifically reflect the proposed conditions and the wildlife attraction and/or strikes that could result under the proposed conditions. San Francisco Airport (SFO) and Santa Barbara Airport (SBA) both have active WHMP and strike reporting and are within similar environments as the proposed conditions. A look at the strike reports for these coastal California airports could provide more insight to the types of strike hazards that could occur as a result of the proposed project.




Figure 7
Top 10 Most Abundant Bird Species Observed

Table 5
Top 10 Species Observed by Number of Individuals (April-August 2020)

Species	Federal/State Status	Number of Individuals	Percentage
Red-winged blackbird		8,605	29.0
Cliff swallow		6,010	20.3
Great egret		1,767	6.0
Swainson's hawk	/CA Threatened	1,669	5.6
Brewer's blackbird		1,550	5.2
Barn swallow		1,091	3.7
Gull		792	2.7
Common raven		745	2.5
House finch		732	2.5
American crow		699	2.4
Total		23,660	79.8
Other Species		5,981	20.2
Grand Total		29,641	100.0

TABLE 6
TOP 10 GUILDS OBSERVED BY NUMBER OF INDIVIDUALS (APRIL-AUGUST 2020)

Guild	Species Observed at Little Egbert Tract	Number of Individuals	Percentage
Icterids	Western meadowlark, red-winged blackbird, Brewer's blackbird, brown-headed cowbird, Bullock's oriole, California scrub-jay, European starling, common grackle, and tri-colored blackbird.	11,300	38.1
Swallows	Barn swallow, cliff swallow, northern rough-winged swallow, tree swallow.	7,423	25.0
Raptors	Red-tailed hawk, Swainson's hawk, northern harrier, turkey vulture, short- eared owl, American kestrel, great-horned owl, prairie falcon, osprey, red- shouldered hawk, peregrine falcon, and Cooper's hawk.	2,630	8.9
Wading birds	Great egret, great blue heron, snowy egret, white-faced ibis, long-billed curlew, American bittern, lesser yellowlegs, black-crowned night heron, greater yellowlegs, long-billed dowitcher, short-billed dowitcher, and white ibis.	2,415	8.2
Passerines	Black phoebe, northern mockingbird, western kingbird, house finch, white-crowned sparrow, hooded oriole, loggerhead shrike, golden-crowned sparrow, bushtit, marsh wren, lesser goldfinch, American goldfinch, California towhee, dark-eyed junco, lark sparrow, and purple finch.	1,261	4.3
Corvids	American crow, common raven, and blue jay.	1,445	4.9
Waterfowl	Mallard, American white pelican, double-crested cormorant, Canada goose, western grebe, northern shoveler, greater white-fronted goose, gadwall, American coot, and pied-billed grebe.	1,115	3.8
Gulls	Gulls.	792	2.7
Doves	Mourning dove, rock dove, and Eurasian collared dove.	320	1.1
Sparrows	Savannah sparrow and song sparrow.	263	0.9
	Total Top Guilds	28,964	97.7
Other Species	American robin, belted kingfisher, Caspian tern, downy woodpecker, horned lark, killdeer, northern flicker, Nuttall's woodpecker, ring-necked pheasant, and wild turkey.	677	2.3
	Grand Total	29,641	100.0

Fall 2021-Winter 2022

During the fall—winter surveys, the top 10 most abundant species represented 87 percent of all birds observed (**Table 7**). Over half of all observed birds were red-winged blackbird (36.6 percent), snow goose (*Anser caerulescens*) (15.6 percent), and greater white fronted goose (*Anser albifrons*) (10.9 percent) (Figure 7). The top 10 most abundant guilds represented 99.6 percent of all individual birds observed, led by icterids (blackbirds, 50.1 percent) and waterfowl (31.2 percent) (**Table 8**). Large birds, identified by the FAA (2019) to cause the most damage in air collisions (that is raptors, gulls, and waterfowl), make up 31.8% of the total species observed (raptors 0.3 percent, gulls 0.2 percent, waterfowl 31.2 percent) (Table 5).

TABLE 7
TOP 10 SPECIES OBSERVED BY NUMBER OF INDIVIDUALS (SEPTEMBER 2021-MARCH 2022)

Species	Federal/State Status	Number of Individuals	Percentage
Red-winged blackbird		9,591	36.6
Snow goose		4,097	15.6
Greater white fronted goose		2,865	10.9
Brewer's blackbird		2,454	9.4
Tricolored blackbird	/CA Threatened	1,020	3.9
Savannah sparrow		754	2.9
House finch		705	2.7
American crow		515	2.0
European starling		438	1.7
Dunlin		400	1.5
Total		22,839	87
Other Species		3,359	13
Grand Total		26,198	100.0


Table 8
Top 10 Guilds Observed by Number of Individuals (September 2021-March 2022)

Guild	Species Observed at Little Egbert Tract	Number of Individuals	Percent of Total Birds
Icterids	Western meadowlark, red-winged blackbird, Brewer's blackbird, tricolored blackbird, brown-headed cowbird, Bullock's oriole, California scrub-jay, European starling, great-tailed grackle.	13,131	50.1
Waterfowl	Mallard, American white pelican, double-crested cormorant, Canada goose, western grebe, northern shoveler, greater white-fronted goose, American coot, bufflehead, common goldeneye, hooded merganser, mute swan, ruddy duck, snow goose, tundra swan, pied-billed grebe.	8,180	31.2
Passerines	Black phoebe, northern mockingbird, western kingbird, house finch, white-crowned sparrow, loggerhead shrike, golden-crowned sparrow, bushtit, marsh wren, lesser goldfinch, American goldfinch, dark-eyed junco, Say's phoebe, tri-colored blackbird, yellow-rumped warbler, purple finch.	2,361	9.0
Sparrows	Savannah sparrow, song sparrow, house sparrow, and spotted towhee.	862	3.3
Shore birds	Belted kingfisher, black-necked stilt, Caspian tern, dunlin, greater yellowlegs, killdeer, Wilson's snipe.	537	2.0
Wading birds	Great egret, great blue heron, snowy egret, white-faced ibis, long-billed curlew, lesser yellowlegs, black-crowned night heron, long-billed dowitcher, long-billed curlew, green heron.	415	0.7
Raptors	Red-tailed hawk, Swainson's hawk, northern harrier, turkey vulture, American kestrel, great-horned owl, osprey, burrowing owl, white-tailed kite, Cooper's hawk.	175	0.3
Corvids	American crow and common raven.	163	0.3
Gulls	Various gull species.	143	0.2
Doves	Mourning dove, rock dove, band-tailed pigeon, Eurasian collared dove.	132	0.2
	Total Top Guilds	26,099	99.6
Other Species	American robin, ring-necked pheasant, wild turkey, Barn swallow, cliff swallow, northern rough-winged swallow, and tree swallow, horned lark, American Pipit, western bluebird, acorn woodpecker, northern flicker, Nuttall's woodpecker, least tern.	99	0.4
	Grand Total	26,198	100

Spatial Distribution of Bird Activity

Late Spring-Summer 2020

Figure 8 presents the number of bird observations per grid and overlapping biological communities, to associate bird activities with groundcover. Most bird observations for the late spring—summer months occurred within irrigated agriculture, canals, and ditches in the north and western areas of the Little Egbert property. The highest density of bird observations occurred along the mid-west segment of the Little Egbert Tract. These high-density areas are primarily north of the inner WHA Boundary, although a portion overlaps the northernmost edge of the boundary. No observations of 300 or more individual birds were made at any points within the Powell Property.



SOURCE: ESA, 2020



Fall 2021-Winter 2022

Figure 9 illustrates the total number of birds observed at each survey point during the fall-winter. The highest number of bird observations were in the south on Powell (S1 and S2) and southern portion of the Little Egbert Tract (S3, S4, and S6), with the next highest numbers near the northern boundary next to Cache Slough (S14 and S15). Unlike the spring-summer survey, geese (greater white-fronted goose, snow goose, and Canada goose) were present during the fall—winter, particularly snow geese (**Figure 10**). Snow geese were numerous on the Powell Property, which is largely within the Inner WHA Boundary.




Figure 0

Figure 9
All Bird Observations by Survey Point (September 2021-March 2022)





Figure 10 All Goose Observations by Survey Point (September 2021–March 2022)

Levels of bird activity in the fall-winter were compared with the underlying land cover (**Figure 11**). High activity grids were categorized as those with greater than 300 observations over the survey season. The grids with the highest activity occurred primarily within the southern portions of the study area and along Cache Slough. Land cover in these areas included seasonal wetland, freshwater emergent wetland, annual grassland, agricultural ditches and canals, and irrigated agriculture. High activity grids were also dispersed throughout the central portion of the site, associated with irrigated agriculture and agricultural ditches and canals. The southern portion of the study area, which is associated with annual grassland, irrigated pasture, freshwater emergent wetland, and seasonal wetland, contained grids where some of the highest numbers of birds were observed.


Particular attention was paid to the distribution of larger birds that could pose a greater hazard for aircraft damage if struck, specifically raptors and waterfowl. **Figures 12 and 13** illustrate the numeric range of raptor individuals observed by location and biological community within the study area. Overall, more raptors were observed within the study area during the late spring-summer months (**Figure 14**) compared to the fall-winter months (**Figure 15**). The highest number of raptors were documented along the northwestern boundary (Figures 12 and 13), associated with irrigated agriculture and with ruderal vegetation on the levee. Low and moderate numbers of raptors were documented within much of the central and southern portions of the study area, associated with wetlands, irrigated agriculture, ditches, and canals. Low to moderate numbers of raptors were documented during all seasons within the inner WHA boundary.

Figures 14 and 15 illustrate the numeric range of waterfowl individuals observed by location and biological community within the study area. More waterfowl were documented in the late fall-winter months (Figure 15) compared to the late spring-summer months (Figure 14). The highest number of waterfowl were documented during the winter migration season within the Powell property, associated with seasonal wetland, freshwater emergent wetland, and grassland. A majority of the Powell Property is located within the inner WHA boundary. During the fall-winter, high numbers of waterfowl were also documented along the northern and eastern edges of the study area, adjacent to open water. Lower numbers of waterfowl were documented during the late spring-summer and areas associated with irrigated agriculture.




SOURCE: Westervelt, 2018; ESA, 2021











SOURCE: ESA, 2020 Little Egbert Multi-Benefit Project








SOURCE: Westervelt, 2018; ESA, 2021








SOURCE: ESA, 2020







SOURCE: Westervelt, 2018; ESA, 2021





Page: 40

Number: 1 Author: tbelt Subject: Sticky Note Date: 4/24/2023 3:47:12 PM

As compared to most of the study area, the Powell Property appears to have the closest example of the habitats that may be created under the proposed project. It contains wetland, grassland, and riparian habitats and is adjacent to open water habitat. The mosaic of these habitats resemble a smaller version of the proposed habitats and can provide a snap shot of the wildlife attraction that may occur. Based on the survey results, it appears that these habitats are attracting waterfowl, which are often larger flocking species that can cause a risk to safe aviation.

Site Visit - March 17, 2021

Bird observations were made during a general site visit on March 17, 2021 (9:00 a.m.–1:00 p.m.). A large flock of snow geese was observed foraging or loafing in agricultural fields near the eastern levee in the southeast corner of the Little Egbert Tract. This flock, which numbered well over a thousand based on a video taken at 10:27 am (**Figure 16**), lifted off and flew across the southeast portion of the Inner WHA/Safety Zone 6 toward the Powell Property. Approximately 35 common egret were observed concentrated in another field along the central road that runs northward through the Little Egbert Tract. A small yellow plane was seen repeatedly landing/taking off from the Airport around 10:45 a.m. and flying low ("cropdusting") over the agricultural fields west of the study area; geese were also present on the ground in the area between the plane's flight path and the US Army Corps of Engineers' levee.

3.3.2 Wildlife Camera Photographs

The majority of wildlife observed within the photographs were Brewer's blackbird (Euphagus cyanocephalus) and red-winged blackbird (Agelaius phoeniceus). Other wildlife documented by the cameras included: black-tailed jackrabbit (Lepus californicus), racoon (Procyon lotor), cottontail rabbit (Sylvilagus bachmani), brown-headed cowbird (Molothrus ater), coyote (Canis latrans), western meadowlark (Sturnella neglecta), great horned owl (Bubo virginianus), American crow (Corvus brachyrhynchos), European starling (Sturnus vulgaris), and black phoebe (Sayornis nigricans). In addition to wildlife, domestic cows were also observed. Representative photographs of the species documented within the study area are provided in Attachment A. Small prey mammals including California ground squirrel (Otospermophilus beecheyi), striped skunk (Mephitis mephitis), and black-tailed rabbit (Lepus californicus) were documented, but were not included within the analysis. Since the proposed Project does not extend onto Rio Vista Municipal Airport property, there would be no potential for aircraft wildlife strikes in the study area involving small mammals. Domestic mammals including grazing cattle and sheep for vegetation management were noted but not included in the analysis since livestock are typically managed and located away from the Airport.

SOURCE: Google, 2022; ESA, 2022

CHAPTER 4

Discussion

The Rio Vista Municipal Airport lies within the Pacific Flyway, amidst biological communities and land uses that are currently used by a variety of wildlife. This study provides baseline pre-Project data on bird activity east of the Airport at the Project site and the Powell Property during the spring-summer resident or breeding season (April through August 2020) and the migratory and wintering seasons (September 2021 through March 2022). According to FAA records, nationwide the highest number of bird strikes occurs from July to October when nestlings fledge. A portion of the data collected during these surveys fall within that fledgling period. The number of waterfowl and shorebirds present on-site was greatest during the fall-winter survey, when they migrate and arrive to winter in the Delta region.

The following sections discuss several questions regarding wildlife hazards at the proposed Project site:

- 1. What do the survey results indicate as it relates to current airport safety?
- 2. What is the potential future wildlife usage (and associated wildlife hazard potential) given the proposed preliminary design?
- 3. Are there any land use changes that would increase (or decrease) hazards?
- 4. What are the range of mitigation measures that the ALUC might propose if they concluded mitigation was necessary?

4.1 Current Airport Safety

This study documented a high degree of bird activity already existing within the WHA boundaries east of the Airport. Bird activity varied seasonally. In the late spring and summer, bird activity was concentrated in the central portion of the study area. Bird activity during the fall and winter was concentrated in the southern portion of the study area and along open water. The northern half of the study area is within the Outer WHA boundary, while most of the southern half falls within this the Inner WHA boundary, with portions to the east in the Outer WHA boundary. Land use at the study area is currently dominated by irrigated agriculture (71 percent), with a mix of annual grassland, irrigated pasture, and wetlands (freshwater emergent and seasonal) on the southern area. Of the survey grids with high activity during all seasons (more than 300 total bird observations) (Figures 9 and 12), 20 percent were within the Inner WHA Boundary (northeast edge). At the southern end of the Project area, which is within the Inner WHA Boundary, bird observations during the winter were relatively high, especially with waterfowl species (Figure 16).

The most common birds observed in both seasons were blackbirds. The red-winged blackbird is among the most common species struck by commercial aircraft, but these small birds rarely cause damage (1 percent of blackbird strikes) (FAA 2019). Swainson's hawk and other raptors were common in summer and geese were common in fall—winter. These large birds are of greater concern because they can cause great damage to aircraft (FAA 2019). The three locations that had the highest waterfowl numbers were associated with freshwater emergent and seasonal wetland. The areas with the greatest waterfowl and raptor occurrence (combined) were in the southern part of the study area, which is on the boundary of and within the Inner WHA Boundary. The current risk of bird strikes at the Airport is likely greater during the wintering and migratory seasons.

The Airport does not currently have a wildlife hazard management plan.

4.2 Risk Potential of Proposed Project

Given that the Airport currently experiences some degree of wildlife hazard due to its location in the Delta, adjacent existing land uses, and presence of birds (especially geese), the key question is how the proposed Project's change in land use would change bird abundance and activity (i.e., foraging, loafing, nesting, and/or movements through) in the Inner and Outer WHA Boundaries, and whether that difference significantly changes the level of risk exposure at the Airport.

The proposed Project would alter habitat conditions for most of the Project area (3,480 acres) (see Figure 2). Major changes to habitat that would affect bird populations include:

- Elimination of agricultural land uses within the Little Egbert Tract, which is predominately irrigated crops (2,519 acres alfalfa and corn, 72 percent of the Project site)
- Creation of open water habitat similar to existing open water adjacent to the site in Cache Slough and lower Liberty Island
- Creation of tidal emergent wetlands along the western and southern edges
- Creation of riparian habitat on the habitat benches on the water side of the west levees
- Creation of tidal wetlands in south

ESA considered wildlife-habitat associations to infer which bird species could occur at the Little Egbert Tract if the proposed Project were constructed similarly to what is currently conceptualized. **Table 9** lists species groups known to be attracted to various biological communities and land use types in Solano County as provided in the Rio Vista ALUCP (ESA 2018).

Of particular interest are those species that pose the greatest risk of aircraft damage: raptors, waterfowl, and large herons. **Table 10** summarizes the land use types that are attractants (ESA 2018, Table 6) for those bird species resulting in the highest percent of damage to aircrafts (FAA 2019, Table 5).

TABLE 9
SPECIES GROUPS KNOWN TO BE ATTRACTED TO LAND USE TYPES IN SOLANO COUNTY

Land Use Type/Habitat Features	Species Group(s) Known to Be Attracted to Land Use Type/Habitat Feature
Agricultural Lands	Hawks, vultures, blackbirds/starlings, and crows/ravens
Rivers and Creeks	Egrets, songbirds, geese, and ducks; mammals include raccoons
Estuarine/Wetland Habitat	Shorebirds, blackbirds, geese and ducks, egrets, cormorants, and pelicans
Open Space	Hawks, swallows, kestrels, owls, turkey/pheasants, osprey, eagles, and vultures; mammals include coyote
Public Parks	Swallows, sparrows, blackbirds/starlings, crows/ravens, doves, pigeons, geese, and ducks
Golf courses	Geese, ducks, blackbirds/starlings, sparrows, and swallows
Water Treatment Plants	Geese, ducks, cormorants/pelicans, herons, and shorebirds
Landfills	Gulls, blackbirds/starlings, and crows/ravens

SOURCE: Rio Vista Airport Land Use Compatibility Plan (ESA 2018).

Table 10

Land Use Attractants for Highly Damaging Bird Species

Land Use Type Attractant
Golf courses, water treatment plants, rivers and creeks, estuarine/wetland habitats
Agricultural lands and open space
Estuarine/wetland habitat
Water treatment plants, rivers and creeks, estuarine/wetland habitat
_

Based on the current proposed design and general bird-habitat associations, the potential changes in wildlife hazard from the constructed Project include:

- Greatly reduced risk from large waterfowl species (e.g., Canada goose, snow goose, and white-fronted goose) that are of highest concern for bird strik (1) (especially Canada goose) due to conversion of irrigated agriculture and pasture to per a water. Canada geese and snow geese were observed traversing, congregating, and loafing on irrigated pasture and agricultural lands in the study area. Geese do use open water, but flocks resting on the water are typically less concentrated (i.e., fewer birds) than feeding flocks that aggregate on agricultural fields. Bird species that prefer open water, such as diving ducks (e.g., bufflehead) and cormorants, would have more habitat, but these species do not aggregate in as high concentrations as birds foraging in fields.
- Greatly reduced risk from icterids and swallows (abundant but minimally damaging) due to conversion of irrigated agriculture (foraging habitat) to open water. Restoration of tall emergent wetland vegetation (in a smaller portion of the Project area) would increase potential nesting habitat.

Page: 45

Number: 1 Author: tbelt Subject: Sticky Note Date: 4/24/2023 3:58:03 PM

These species may not commonly use open water but they definitely use emergent and marsh wetland habitats, which are proposed under the project. It is hard to believe that a species or group of species that are currently present in a site would just disappear from the area when agriculture is replaced with open water. Especially when the open water habitat will have emergent vegetation, salt marsh, etc on the edges. Rather than a reduction in the species abundance and subsequent reduced risk, I would expect these species to shift their movements and how they use the area. The question then is, will the shift in movements increase or reduce risk to aircraft?

- Greatly reduced risk from terrestrial-foraging raptors (e.g., Swainson's hawks, turkey vultures) due to conversion of agriculture to open water
- Increased risk from wading birds (e.g., herons, egrets) that use wetlands and shallow margins of open water (western edge of study area).
- Increased risk from fish-eating raptors (osprey) that forage over open water; however, their overall numbers are lower than waterfowl.

Overall, the Project area would shift from predominantly irrigated agriculture to open water. Waterfowl and water birds do use open water, but the expected densities would likely be no greater than that on agriculture lands or Cache Slough currently. Bird activity observed in spring—summer on Cache Slough grids was relatively low. Open water habitat would be closer to the Airport than under current conditions.

4.3 Project Design Considerations

A substantial portion of the Project area overlaps the Inner WHA Boundary. Of particular note is the approach/departure area east of the runway. Trees in riparian zones within this area could attract roosting or nesting by raptors and passerines. Limiting or removing trees from within the approach/departure zones and turning zones would reduce this risk. Note that post-Project needs for raptor nesting habitat could be lower due to the proposed reduction of nearby foraging habitat (irrigated agriculture).

Wetlands could provide nesting or foraging habitat for waterfowl, wading birds, and blackbirds. Focusing these enhancements away from the runway approach zones could reduce risk. Further information would be required to incorporate these considerations into the next phase of design for the proposed Project.

4.4 Potential Mitigation Measures and Next Steps

The Rio Vista ALUCP wildlife hazard policies reflect guidance provided by the FAA in AC 150/5200-33B, 4 the advisory circular in effect at the time the latest ALUCP was prepared. AC 150/5200-33B and its replacement, AC 150/5200-33C, provide guidance on land uses that have the potential to attract wildlife hazards on or near airports. Section 2.4.3.2 of AC 150/5200-33C provides guidance on mitigating potential impacts associated with wetlands projects like the proposed Project. In summary, "the FAA recommends that wetland mitigation projects that may attract hazardous wildlife be sited outside" of the areas reflected by the WHA Boundaries identified in the Rio Vista ALUCP. "The FAA also encourages landowners or communities supporting the restoration or enhancement of wetlands to do so only after critically analyzing how those activities would affect aviation safety...To do so, landowners or communities should contact the affected airport sponsor, FAA, and/or a Qualified Airport Wildlife Biologist...(These) parties should work cooperatively to develop restoration or enhancement plans that would not worsen existing wildlife hazards or create such hazards...If parties develop a mutually

2

⁴ AC 150/5200-33B was canceled on February 21, 2020, and replaced by AC 150/5200-33C, which is currently in effect. Current wildlife hazard policies in the Rio Vista ALUCP reflect guidance in AC 150/5200-33B.

acceptable restoration or enhancement plan, the landowner or community proposing the restoration or enhancement must monitor the restored or enhanced site. This monitoring must verify that efforts have not worsened or created hazardous wildlife attraction or activity. If such attraction or activity occurs, the landowner or community should work with the airport sponsor, or a Qualified Airport Wildlife Biologist to reduce the hazard to aviation."⁵

The applicant will work with Solano County ALUC during the CEQA process to evaluate potential impacts, specifically any change in risk relative to existing conditions as seed on this guidance and the 2021 and 2022 surveys, below are possible pre- or post-Project options to document conditions and minimize effects of Project implementation as well as potential measures that could be included as mitigation or adaptive management tools to reduce the potential for a significant increase in hazardous wildlife risk:

- 1) Assess regional land use for wildlife attractants that could lead to bird movement across the Project area (e.g., daily roosting to foraging habitat movement) should land use within the study area change.
- 2) For bird species observed at the site or within range, evaluate habitat uses and preferences to inform design (e.g., patch size of wetlands or vegetation height used by nesting or loafing waterfowl).
- 3) Conduct a second Wildlife Hazard Assessment (12-month continuous survey according to FAA protocols) for the airport property following Project implementation. Assess the degree of wildlife hazards, and whether each wildlife hazard is increased relative to baseline no-Project conditions.

⁵ FAA AC 150/5200-33C, Section 2.4.3.2

Page: 47

Number: 1 Author: tbelt Subject: Sticky Note Date: 4/24/2023 4:11:28 PM

This statement makes it clear that this WHA is the first step in assessing the potential impacts to aviation safety that could result from the proposed project. It also makes it clear that this report alone is not intended to propose mitigation that will serve to "minimize" potential hazards to aviation. Therefore, the report does not entirely meet the requirements of WH-1. The Solano County ALUC anticipates further analysis and coordination with the project proponents.

This page intentionally left blank

CHAPTER 5

References

- Environmental Science Associates (ESA). 2019. Little Egbert Tract Geotechnical Explorations Project. Biological Constraints Report. Prepared for Westervelt Ecological Services. October 2019.
- Environmental Science Associates (ESA). 2022. Solano County ALUC ALUCP Amendments and Updates. Memorandum. Prepared for Solano County Planning Department. February 22, 2022.
- FAA (U.S. Department of Transportation Federal Aviation Administration). 2019. Wildlife Strikes to Civil Aircraft in the United States from 1990-2018. 2018: The "Year of the Bird" Marking the Centennial of The Migratory Bird Treaty Act of 1918. Safer Skies for all Who Fly: Aircraft and Birds. FAA National Wildlife Strike Database Serial Report Number 25. July 2019.
- FAA (U.S. Department of Transportation Federal Aviation Administration). 2020a. FAA Wildlife Strike Database. Updated October 30, 2020. Available: https://wildlife.faa.gov/search. Accessed October 30, 2020.
- FAA (U.S. Department of Transportation Federal Aviation Administration). 2020b. Wildlife Strike FAQs. Updated on August 28, 2020. Available: https://www.faa.gov/airports/airport safety/wildlife/faq/. Accessed October 26, 2020.
- Sacramento Area Flood Control Agency (SAFCA). 2018. SAFCA Little Egbert Tract Feasibility Study Report Final. Prepared by Wood Rogers. December 31, 2018.
- Solano County. 2018. Rio Vista Airport Airport Land Use Compatibility Plan. Prepared by Environmental Science Associates for the Solano County Airport Land Use Commission. Adopted May 10, 2018.


This page intentionally left blank

Attachment A Photographs

LIST OF PHOTOGRAPHS


Photograph 1	View south of the graded levee road and open water to the east of the study area and of the agricultural land to the west within the study area from S21. May 12, 2020	A-1
Photograph 2	View of open water just north of the study area from S14. May 12, 2020.	A-1
Photograph 3	View west of riparian habitat surrounding an irrigation canal from S6. May 12, 2020	A-2
Photograph 4	View east of disturbed, irrigation canal, and agricultural land from S13. May 12, 2020	A-2
Photograph 5	Wild turkey. Camera 1 – July 22, 2020	A-3
Photograph 6	Jackrabbit. Camera 1 – July 22, 2020	
Photograph 7	Brewer's blackbird. Camera 1 – June 23, 2020	A- 4
Photograph 8	Common raven. May 21, 2020	A- 4
Photograph 9	Skunk. Camera 2 – July 22, 2020	A-5
Photograph 10	Domestic dog. Camera 3 - July 22, 2020	A-5
Photograph 11	Brewer's blackbird. Camera 1 – October 3, 2021	
Photograph 12	Black-tailed jackrabbit. Camera 1 – September 20, 2021	A-6
Photograph 13	American crow. Camera 1 – September 26, 2021	A-7
Photograph 14	Raccoon. Camera 1 - September 26, 2021	A-7
Photograph 15	Black-tailed jackrabbit. Camera 2 - January 1, 2022	A-8
Photograph 16	Black-tailed jackrabbit. Camera 2 - January 1, 2022	A-8
Photograph 17	Black phoebe. Camera 2 - January 4, 2022	A-9
Photograph 18	Cow. Camera 2 - January 5, 2022	
Photograph 19	Western meadowlark. Camera 2 - January 6, 2022	.A-10
Photograph 20	Black cow. Camera 2 - January 6, 2022	
Photograph 21	Red winged blackbird. Camera 2 - January 13, 2022	.A-11
Photograph 22	Great horned owl. Camera 2 - January 18, 2022	
Photograph 23	Western meadowlark. Camera 2 - January 18, 2022	.A-12

This page intentionally left blank



Photograph 1
View south of the graded levee road and open water to the east of the study area and of the agricultural land to the west within the study area from S21.

May 12, 2020



Photograph 2
View of open water just north of the study area from S14.
May 12, 2020.



Photograph 3
View west of riparian habitat surrounding an irrigation canal from S6.
May 12, 2020.



Photograph 4
View east of disturbed, irrigation canal, and agricultural land from S13.

May 12, 2020



Photograph 5 Wild turkey. Camera 1 – July 22, 2020



Photograph 6 Jackrabbit. Camera 1 – July 22, 2020



Photograph 7 Brewer's blackbird. Camera 1 – June 23, 2020



Photograph 8 Common raven. May 21, 2020



Photograph 9 Skunk. Camera 2 – July 22, 2020



Photograph 10 Domestic dog. Camera 3 - July 22, 2020



Photograph 11
Brewer's blackbird.
Camera 1 – October 3, 2021



Photograph 12
Black-tailed jackrabbit.
Camera 1 – September 20, 2021



Photograph 13
American crow.
Camera 1 – September 26, 2021



Photograph 14 Raccoon. Camera 1 - September 26, 2021



Photograph 15 Black-tailed jackrabbit. Camera 2 - January 1, 2022



Photograph 16 Black-tailed jackrabbit. Camera 2 - January 1, 2022



Photograph 17 Black phoebe. Camera 2 - January 4, 2022



Photograph 18 Cow. Camera 2 - January 5, 2022



Photograph 19 Western meadowlark. Camera 2 - January 6, 2022



Photograph 20 Black cow. Camera 2 - January 6, 2022



Photograph 21 Red winged blackbird. Camera 2 - January 13, 2022



Photograph 22 Great horned owl. Camera 2 - January 18, 2022



Photograph 23 Western meadowlark. Camera 2 - January 18, 2022