

# Unenclosed Mobile Food Facility (cart) Construction Review Checklist

**FACILITY**  
**NAME:** \_\_\_\_\_

**MENU/**  
**FOOD:** \_\_\_\_\_

**Equipment/Utensils**

- All equipment, compartments, etc. designed and constructed of materials that have smooth, readily accessible, and easily cleanable surfaces. (Sec. 114301)
- Non-portable equipment is an integral part of the unit. (Sec.114301)
- Equipped with a **mechanically** operated refrigeration unit **-if handling PHF.** (Sec. 113885/114301)
- All equipment meets applicable ANSI Standards. (Sec. 114301)
- Threads, nuts, or rivets not exposed where they interfere with cleaning. (Sec. 114301)
- Overhead protection provided. (Sec.114314)
- Min. 4" of space beneath counter mounted equipment & between sides of adjacent non-portable equipment. (Sec. 114301)
- Equipment subject to spillage equipped with a drip tray that drains into a waste tank. (Sec. 114301)
- Equipment spaced apart or sealed together for easy cleaning. (Sec. 114301)

**Water**

- Min. ½ gal or instantaneous water heater for MFF that utilizes water for **handwashing** only. (Sec. 114325)
- Min. 4 gal water heater for MFF that has a **warewashing** sink. (Sec. 114325)
- At least 15 gals potable water provided for facilities conducting **limited food preparation.** (Sec. 114217)
- At least 5 gals of potable water provided exclusively for **handwashing.** (Sec. 114217)

**Waste**

- Wastewater tank with min. capacity that is 50% greater than potable water tank. (Sec. 114240)
- Ice used in storage/ display - additional wastewater tank with min. capacity 1/3 of volume of the ice cabinet. (Sec. 114240)
- Water used for food/ beverage preparation -additional wastewater tank with min. capacity of 15% of water supply. (Sec. 114240)

**Facilities**

- Handwashing sink with min. dimensions of 9"x 9" x 5" deep. (Sec.114311)
- Handwashing sink separated from warewashing sink by a metal splashguard at least 6" high or a distance of 24" or more. (Sec. 114311)
- Warewashing sink with at least 3 compartments and 2 integral drainboards (Sec.114313):
  - compartments 12"x 12" x 10" deep / 10"x 14" x10" deep
  - drainboards = or > in size to compartments

OR

\*MFF is not required to have a warewash sink. MFF is going to wash & sanitize utensils on a daily basis at the approved commissary and will provide an adequate supply of spare utensils.

**Safety**

- Coffee urns, fryers, steamtables, etc. equipped with positive closing lids, fitted a secure latch. (Sec. 114323)
- Light bulbs and tubes completely enclosed with plastic safety shield. (Sec. 114323)
- Wall-mounted min. 10 BC-rated fire extinguisher. (Sec. 114323)
- Enclosed first-aid kit located in a convenient area. (Sec. 114323)

**Miscellaneous**

- MFF operating in conjunction with a commissary. (Sec. 114295)
- Business name at least 3" high and city, state, zip code, name of permittee at least 1" high on consumer side of vehicle. (Sec. 114299)
- Written procedures for food handling and cleaning / sanitizing of food contact surfaces and utensils. (Sec. 114303)

**Comments:**

---



---



---



---



---

\* MFF only handles any of the following: 1)Hot Dogs, 2)Tamales in original wrapper, or 3) Non-potentially hazardous foods that do not require preparation other than heating, baking, popping, portioning, bulk dispensing, assembly, or shaving of ice.

